CORNISH WIRELINE SERVICES, INC.
CHANUTE, KANSAS

GAMMA RAY NEUTRON CEMENT BOND COMPLETION LOG

Company KANSAS MB PROJECT, LLC
Well WALTER MOORE #MB 17
Field WAYSIDE - HAVANA
County CHAUTAUQUA
State KANSAS

Company KANSAS MB PROJECT, LLC
Well WALTER MOORE #MB 17
Field WAYSIDE - HAVANA
County CHAUTAUQUA State KANSAS

Location: API # : 15-019-27499-00-00
3135' FSL & 2970' FEL
N/2 SE SE NW
SEC 3 TWP 34S RGE 13E

Other Services
OPEN HOLE
10-30-14

Permanent Datum GL Elevation 776'EST
Log Measured From GL
Drilling Measured From GL

Elevation
K.B.
D.F.
G.L. 776'EST.

Date	12-22-14		
Run Number	2 NW		
Depth Driller	1615'		
Depth Logger	1605'		
Top Log Interval	0		
Bottom Logged Interval	1605'		
Fluid Level	FULL		
Type Fluid	WATER		
Production Casing	4.5" @ TD	@	@
Max. Recorded Temp.			
Estimated Cement Top			
Calculated Cement Top			
Amount & Type Cement			
Amount & Type Admix			
Drilling Contractor			
Equipment Number	103		
Location			
Recorded By	SOLOMON, B.		
Witnessed By	COODY, R.		


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

DEPTH SHIFTED -2'
TO OPEN HOLE DEPTH

THANK YOU

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			tekco	2.17	1.69	5.00




		CBLTEKCO-TEKCO2RCVR (TEKCO169) 1 11/16" TEKCO 2 RCVR DELWARE	9.75	1.69	50.00
WVF3FT	17.50				
WVF5FT	16.50				
WVFCAL	13.08				
WVFSYNC	13.08	tekco tekco cent.	2.17	1.69	5.00
		GR-TITAN_169 (TIT169_001) Titan 1 11/16" Gamma Ray	4.75	1.69	20.00
GR	7.59				
CCL	5.05	CCL-TITAN_169 (TIT169) Titan 1 11/16" Logging CCL	1.83	1.69	7.50
		NEU-TITAN (TIT801) TITAN 1 11/16" Neutron	4.33	1.69	25.00
NEU	0.63				


Dataset:	walter moore #mb 17.db: field/well/run1/pass1
Total Length:	25.00 ft
Total Weight:	112.50 lb
O.D.	1.69 in


Database File:	e:\walter moore #mb 17.db
Dataset Pathname:	pass1
Presentation Format:	scbl_dr


Dataset Creation: Mon Dec 22 11:35:39 2014 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	Collar Locator	0	AMP3FT (mV)	200	200	VDL	1200
150	gr	300	9	0	1100 TT3FT (usec)	200			
					1800 TT5FT (usec)	200			
					100 NEU (cps)	1700			






200
250
300
350
400



450
500
550
600


650
700
750
800
PERFORATION
3-1/8" SLICK TAG GUN
79 SHOTS 844'-870'
DECEMBER 22, 2014


850
79 SHOTS @ 844' - 870'
900
950
1000
1050


1100
1150
1200
1250


1300
1350
1400
1450
1500



CORNISH WIRELINE SERVICES, INC.
CHANUTE, KANSAS

Company	KANSAS MB PROJECT, LLC
Well	WALTER MOORE #MB 17
Field	WAYSIDE - HAVANA
County	CHAUTAUQUA SEC. 3 TWP. 34S RGE. 13E
State	KANSAS Date 12-22-14