



GAMMA RAY
NEUTRON
CEMENT BOND
COMPLETION LOG

Company KANSAS MB PROJECT, LLC
Well WALTER MOORE #MB 2
Field WAYSIDE - HAVANA
County CHAUTAUQUA
State KANSAS

Company KANSAS MB PROJECT, LLC
Well WALTER MOORE #MB 2
Field WAYSIDE - HAVANA
County CHAUTAUQUA State KANSAS

Location: API # : 15-019-27445-00-00
3960' FSL & 5115' FEL
W/2 W/2 W/2 NW
SEC 3 TWP 34S RGE 13E
Permanent Datum GL
Log Measured From GL
Drilling Measured From GL
Other Services
OPEN HOLE
9-5-14
Elevation
K.B.
D.F.
G.L. 913'EST.

Date	9-24-14		
Run Number	2 NW		
Depth Driller	1868'		
Depth Logger	1829.6'		
Top Log Interval	0		
Bottom Logged Interval	1829.6'		
Fluid Level	FULL		
Type Fluid	WATER		
Production Casing	4.5" @ TD	@	@
Max. Recorded Temp.			
Estimated Cement Top			
Calculated Cement Top			
Amount & Type Cement			
Amount & Type Admix			
Drilling Contractor			
Equipment Number	103		
Location			
Recorded By	SOLOMON, B.		
Witnessed By	COODY, R.		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			tekco tekco cent	2.17	1.69	5.00

Tool Joint	Tool Joint Depth (ft)	Tool Joint Description	Tool Joint Weight (lb)	Tool Joint O.D. (in)	Tool Joint Length (ft)
WVF3FT	17.50	CBLTEKCO-TEKCO2RCVR (TEKCO169) 1 11/16" TEKCO 2 RCVR DELWARE	9.75	1.69	50.00
WVF5FT	16.50				
WVFCAL	13.08				
WVFSYNC	13.08	tekco tekco cent.	2.17	1.69	5.00
GR	7.59	GR-TITAN_169 (TIT169_001) Titan 1 11/16" Gamma Ray	4.75	1.69	20.00
CCL	5.05	CCL-TITAN_169 (TIT169) Titan 1 11/16" Logging CCL	1.83	1.69	7.50
NEU	0.63	NEU-TITAN (TIT801) TITAN 1 11/16" Neutron	4.33	1.69	25.00

Dataset:

Total Length:

Total Weight:

O.D.


walter moore #mb2.db: field/well/run1/pass1


25.00 ft




112.50 lb




1.69 in


0	Gamma Ray	150	Collar Locator	0	AMP3FT (mV)	200	200	VDL	1200
150	gr	300	9	0	1100	TT3FT (usec)	200		
					1800	TT5FT (usec)	200		
					100	NEU (cps)	1800		



















PERFORATIONS
3-1/8" SLICK TAG GUN
31 SHOTS 970'-980'
13 SHOTS 982'-986'
13 SHOTS 992'-996'
DECEMBER 22, 2014




4-1/2" CAST IRON
BRIDGE PLUG AT 1090'
DECEMBER 22, 2014









Company	KANSAS MB PROJECT, LLC
Well	WALTER MOORE #MB 2
Field	WAYSIDE - HAVANA
County	CHAUTAUQUA SEC. 3 TWP. 34S RGE. 13E
State	KANSAS
Date	9-24-14