

CEMENT BOND LOG

Company ROBL SIX, INC.
Well HAMMEKE #2
Field CHEYENNE VIEW SOUTHEAST
County BARTON
State KANSASCompany ROBL SIX, INC.
Well HAMMEKE #2
Field CHEYENNE VIEW SOUTHEAST
County BARTON State KANSAS

1750' FSL & 2750' FWL

SEC. 13 TWP. 19S RGE. 12W

Permanent Datum GROUND LEVEL Elevation 1803
Log Measured From KELLY BUSHING 9' AGL
Drilling Measured From KELLY BUSHINGOther Services
Elevation
K.B. 1812
D.F.
G.L. 1803

Date 1-20-2015

Run Number	ONE
Depth Driller	3675
Depth Logger	3424
Bottom Logged Interval	3423
Top Log Interval	2070
Open Hole Size	
Type Fluid	WATER
Density / Viscosity	
Max. Recorded Temp.	
Estimated Cement Top	2270
Time Well Ready	
Time Logger on Bottom	
Equipment Number	#53
Location	GREAT BEND
Recorded By	LANCE GREGG
Witnessed By	

Borehole Record		Tubing Record					
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8.625		0	361
Prot. String				
Production String	5.5	15.5	0	3463
Liner				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANKS FOR USING LOG TECH OF KANSAS

DIRECTIONS
2.5 NORTH OF ELLINWOOD FROM WEST SIDE
WEST INTO

Database File	hammeke2.db
Dataset Pathname	pass3
Presentation Format	scbl_dr
Dataset Creation	Tue Jan 20 12:37:11 2015
Charted by	Depth in Feet scaled 1:240

320	Travel Time (usec)	120		0	Amplitude (mV)	100	200	VDL	1200
-9	Collar Locator	1							
0	LTEN (lb)	1500							
0	Gamma Ray (GAPI)	150							
150	Gamma Ray (GAPI)	300							
300	Gamma Ray (GAPI)	450							







2250




Top of Cement


2300

2350

2400











2700


2750

2800

2850









3100


3150

3200

3250

3300






LOG-TECH


of Kansas
Inc.


GREAT BEND, KANSAS

REPEAT SECTION

Database File hammeke2.db
 Dataset Pathname pass2
 Presentation Format scbl_dr
 Dataset Creation Tue Jan 20 12:20:39 2015
 Charted by Depth in Feet scaled 1:240







Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CHD STANDARD	1.00	1.69	10.00

