



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-009-26036-00-00

Company LB Exploration, Inc.

Well Dolechek # 1

Field

County Barton

State Kansas

Location

1910' FNL & 490' FEL

Sec: 22

Twp: 16 S

Rge: 14 W

Other Services
DIL
MEL/BHCS

Permanent Datum

Ground Level

Elevation 1932

Log Measured From Kelly Bushing 13 Ft. Above Perm. Datum

K.B. 1945
D.F.
G.L. 1932

Date

10/15/2014

Run Number

One

Type Log

CNL / CDL

Depth Driller

3490

Depth Logger

3486

Bottom Logged Interval

3465

Top Logged Interval

2550

Type Fluid In Hole

Chemical

Salinity, PPM CL

9,000

Density

9.0

Level

Full

Max. Rec. Temp. F

111

Operating Rig Time

5 Hours

Equipment -- Location

15 Y. Ruiz

Recorded By

Y. Ruiz

Witnessed By

Steven Petermann

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

24#

From

To

1

12.25

00

412

8.625

24#

00

412

2

7.875

412

3490

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858
Russell,
South to 200 Rd, 1/4 West
South into

Database File: c:\warrior\data\lb exp_dolechek # 1\lb_dolechek_1hd.db
Dataset Pathname: DIL\lbstk
Presentation Format: cdl
Dataset Creation: Wed Oct 15 19:25:53 2014
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			





0	Gamma Ray	150	30	Compensated Neutron (Limestone)		-10
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)		-10
			2.625	DGA	3.425	-0.25
			Correction		0.25	
			15000	Line Tension		0
						LSPD

