



**COMPLETION
& PRODUCTION
SERVICES CO.**

**SONIC
LOG**

Company VINCENT OIL CORPORATION
Well STIMPERT #1-9
Field KINGSDOWN NW
County FORD
State KANSAS

Company VINCENT OIL CORPORATION
Well STIMPERT #1-9
Field KINGSDOWN NW
County FORD State KANSAS

Location: API # : 15-057-20934-0000
100' FSL & 330' FWL
SEC 9 TWP 29S RGE 22W
Permanent Datum GROUND LEVEL Elevation 2496
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2508
D.F. 2506
G.L. 2496

Date	6/27/14
Run Number	TWO
Depth Driller	5422
Depth Logger	5422
Bottom Logged Interval	5412
Top Log Interval	600
Casing Driller	8 5/8" @ 647'
Casing Logger	645
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.4/48
pH / Fluid Loss	9.5/11.2
Source of Sample	FLOWLINE
Rim @ Meas. Temp	.50 @ 94F
Rmf @ Meas. Temp	.37 @ 94F
Rmc @ Meas. Temp	.45 @ 94F
Source of Rmf / Rmc	MEASUREMENT
Rim @ BHT	.36 @ 129F
Time Circulation Stopped	2.5 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	129F
Equipment Number	4854
Location	HAYS, KANSAS
Recorded By	JASON CAPPELLUCCI
Witnessed By	JIM HALL

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS
KINGSDOWN, KS. - 2 EAST - 1/2 SOUTH - 1/4 EAST - NORTH INTO




MAIN SECTION

Database File: 24172pe.db
 Dataset Pathname: pass8.2
 Presentation Format: _slt
 Dataset Creation: Fri Jun 27 08:50:27 2014 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			







800


850

900

950










1250


1300

1350

1400









1700

1750

1800

1850







1900


1950

2000

2050









2350


2400

2450

2500










2800


2850


2900

2950











3450


3500

3550

3600









3900

3950

4000

4050







4100


4150

4200

4250









4550

4600

4650

4700






4750



4800


4850

4900

4950








5200


5250

5300

5350 ABHV
5.5" CSG



TBHV








REPEAT SECTION

Database File: 24172pe.db
 Dataset Pathname: pass7.1
 Presentation Format: _slt
 Dataset Creation: Fri Jun 27 07:57:43 2014 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240







0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			