



**COMPLETION  
& PRODUCTION  
SERVICES CO.**

**MICRO  
LOG**

Company VINCENT OIL CORPORATION  
Well STIMPERT #1-9  
Field KINGSDOWN NW  
County FORD  
State KANSAS

Company VINCENT OIL CORPORATION  
Well STIMPERT #1-9  
Field KINGSDOWN NW  
County FORD State KANSAS

Location: API # : 15-057-20934-0000  
100' FSL & 330' FWL  
SEC 9 TWP 29S RGE 22W  
Permanent Datum GROUND LEVEL Elevation 2496  
Log Measured From KELLY BUSHING 12' A.G.L.  
Drilling Measured From KELLY BUSHING  
Other Services  
CDL/CNL/PE  
DIL/SON  
Elevation  
K.B. 2508  
D.F. 2506  
G.L. 2496

Date	6/27/14		
Run Number	TWO		
Depth Driller	5422		
Depth Logger	5422		
Bottom Logged Interval	5404		
Top Log Interval	4200		
Casing Driller	8 5/8"@647'		
Casing Logger	645		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 9200 PPM	
Density / Viscosity	9.4/48		
pH / Fluid Loss	9.5/11.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.50 @ 94F		
Rmf @ Meas. Temp	.37 @ 94F		
Rmc @ Meas. Temp	.45 @ 94F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.36 @ 129F		
Time Circulation Stopped	2.5 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	129F		
Equipment Number	4854		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

**Comments**


THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395  
DIRECTIONS  
KINGSDOWN, KS. - 2 EAST - 1/2 SOUTH - 1/4 EAST - NORTH INTO




**MAIN SECTION**

Database File: 24172pe.db  
 Dataset Pathname: pass8.1  
 Presentation Format: \_micro  
 Dataset Creation: Fri Jun 27 07:56:03 2014 by Calc SOC 120430  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		







4400


4450


4500

4550










5050


5100

5150

5200


5250






Database File: 24172pe.db  
 Dataset Pathname: pass7.1  
 Presentation Format: \_micro  
 Dataset Creation: Fri Jun 27 07:57:43 2014 by Calc SOC 120430  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			

## Calibration Report

Database File: 24172pe.db  
 Dataset Pathname: pass7.1  
 Dataset Creation: Fri Jun 27 07:57:43 2014 by Calc SOC 120430

## MICRO Calibration Report

Serial Number: 070911  
 Tool Model: ProbeN  
 Performed: Mon Jun 16 14:49:24 2014

Caliper Calibration:	Gain=3.768	Offset=2.371
	Low Cal	High Cal
References	7.500	15.000
Readings	1.361	3.352

1.5" Calibration:	Gain=25.000	Offset=-0.500
	Low Cal	High Cal
References	0.000	20.000
Readings	0.001	1.269

2" Calibration:	Gain=40.000	Offset=-0.600
	Low Cal	High Cal
References	0.000	20.000
Readings	0.002	1.101

## Gamma Ray Calibration Report

Serial Number: 070559  
 Tool Model: OPEN\_GR  
 Performed: Tue Jun 10 17:15:42 2014

Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2200	GAPI/cps