



MIDWEST SURVEYS
 LOGGING - PERFORATING - CONSULTING SERVICES
 P.O. Box 66, Osawatomie, KS 66064
 913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No. _____

Company **TDR Construction, Inc.**

Well **MCCoy No. - 8**

Field **Paola - Rantoul**

County **Franklin** State **Kansas**

Location **3135 FSL & 165th FEL**

Location **NE-SE-SE-NE**

Other Services
Perforate

Sec. 32 Typ. 15s Rge. 21e

Permanent Datum GL Elevation 1037

Log Measured From GL Elevation K.B. NA

Drilling Measured From GL Elevation D.F. NA

Date 09-04-2014

Run Number One

Depth Driller 820.0

Depth Logger 759.0

Bottom Logged Interval 758.0

Top Log Interval 20.0

Fluid Level Full

Type Fluid Water

Density / Viscosity NA

Salinity - PPM Cl NA

Max Recorded Temp NA

Estimated Cement Top 0.0

Equipment No. Location 107 Osawatimie

Recorded By Steve Windisch

BORE-HOLE RECORD				CASING RECORD			
RUN No.	BIT FROM	TO	SIZE	WGT. FROM	FROM	TO	
One	9.875"	0.0	7.00"	17.0#	0.0	21.0	
Two	5.625"	21.0	8.20.0	2.875"	6.5 #	0.0	790.85
				Baffle	Set	At	739.80


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Town Oilfield Services, Inc.

Database File: mcoy8.db
 Dataset Pathname: pass1
 Presentation Format: gr-n-ccl
 Dataset Creation: Mon Aug 04 13:08:00 2014 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240



09-12-2014
 Perforated Interval
 730.0 - 738.0 25 Perfs
 2" DML RTG