



Dual Induction Log

Pioneer Energy Services

API No.	Company McCoy Petroleum Corporation		
	Well MTPRC 'A' #4-27		
	Field Alford		
	County Kiowa	State	Kansas
	Location	NE-SE-NE 1650' FNL & 330' FEL	
	Sec: 27	Twp: 30S	Rge: 19W
Permanent Datum	Ground Level	Elevation 2206	
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum	
Drilling Measured From	From Kelly Bushing	K.B. 2215 D.F. 2206 G.L. 2206	
Date	9/7/2014		
Run Number	One		
Depth Driller	5225		
Depth Logger	5224		
Bottom Logged Interval	5223		
Top Log Interval	600		
Casing Driller	8.625 @ 644		
Casing Logger	643		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	7.000		
Density / Viscosity	9.5 47		
pH / Fluid Loss	9.0 11.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	.18 @ 67		
Rmf @ Meas. Temp	.14 @ 67		
Rmc @ Meas. Temp	.24 @ 67		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.09 @ 128		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	128		
Equipment Number	108		
Location	Hays		
Recorded By	J. Henrickson		
Witnessed By	Evan Stone		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858

Greensburg Kansas
15.5 South on 183, 3 West, 1.8 North, West Into

Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
-200	SP (mV)	0




0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD
0
0



600
650
700
750
800
850
900
950
1000
1050







-999
-58
-68
-95
-96
-95
-96
-96
-96






























Database File: c:\warrior\data\mccoy_mtprc 'a' # 4-27\mccoy_mtprc_a_4_27hd.db
 Dataset Pathname: DIL/mccoystk
 Presentation Format: dil
 Dataset Creation: Sun Sep 07 04:50:13 2014
 Charted by: Depth in Feet scaled 1:240






3950

4000

4050

4100




-36

-36

-36

-36




4150

4200

4250

4300




-36

-36

-36

-36




4350

4400

4450

4500

4550




-36

-36

-35

-35

-35




4600

4650

4700

4750




-35

-35

-35

-35




4800

4850

4900

4950

5000




-35

-35

-35

-35

-36




5050

5100

5150

5200



-36

-36

-34

-34

