



Green Country Wireline

GAMMA RAY
CEMENT BOND
CCL VDL

Company JONES & BUCK DEVELOPEMENT
Well THOMPSON # 36-14
Field PERU-SEDAN
County CHAUTAUQUA
State KANSAS
Country USA

Company JONES & BUCK DEVELOPEMENT
Well THOMPSON # 36-14
Field PERU-SEDAN
County CHAUTAUQUA
State KANSAS
Country USA

Location: SW SW SE NE
2917' FSL & 1131' FEL
SEC 36 TWP 33S RGE 10E
API #: 15-019-27414
Permanent Datum G.L. Elevation 939'
Log Measured From G.L.
Drilling Measured From G.L.
Other Services
Elevation
K.B. ---
D.F. ---
G.L. 939'

Date	8-18-14						
Run Number	1						
Depth Driller	1457'						
Depth Logger	1407'						
Bottom Logged Interval	1406'						
Top Log Interval	SURFACE						
Open Hole Size	WATER						
Type Fluid	---						
Density / Viscosity	---						
Max. Recorded Temp.	---						
Estimated Cement Top	50'						
Time Well Ready	---						
Time Logger on Bottom	---						
Equipment Number	3						
Location	DEWEY HEIKKEN MR JONES						
Recorded By	---						
Witnessed By	---						
Run Number	Bit	From	To	Size	Weight	From	To
Borehole Record				Tubing Record			
Casing Record	Size	Wgt/Ft	Top	Bottom			
Surface String	8 5/8"		SURFACE	40'			
Prot String							
Production String	4.5"		SURFACE				
Liner							

<< Fold Here >>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Green Country Wireline

GR CBL CCL VDL

Database File: thompson36-14.db
Dataset Pathname: thompson3/run1/pass1
Presentation Format: standard
Dataset Creation: Mon Aug 18 09:42:04 2014 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240




4	Collar Locator	1.5	800	TT3FT (usec)	200	200	WVF3FT	1200
2	Gamma Ray (GAPI)	60	-3	AMP3FT (mV)	300			




4	Collar Locator	1.5
0	Gamma Ray (GAPI)	60

800	TT3FT (usec)	200	200
-3	AMP3FT (mV)	300	

WVF-3F-1 121





250



300


350

400



450


500





500
550
600
650
700
750





750



800


850

900



950


1000







1000
1050
1100
1150
1200
1250





1250
1300
1350
1400



THOMPSON # 36-14

Collar Locator	1.5	800	TT3FT (usec)	200	200	WVF3FT	1200
Gamma Ray (GAPI)	60	-3	AMP3FT (mV)	300			