PIONEER

Pioneer Energy Services

Dual Induction Log

Company	Venture Resources, Inc.
Well	White #1-34
Field	Wildcat
County	Graham
State	Kansas
API No.	15-065-24057-00-00

Location

1650' FNL & 1980' FWL

Sec: 34 Twp: 7S Rge: 21W


Other Services
CNL/CDL
MEL/BHCS


Permanent Datum	Ground Level
Log Measured From	Kelly Bushing
Drilling Measured From	Kelly Bushing
Elevation	2055
Ft. Above Perm. Datum	7


Elevation


K.B.	2062
D.F.	
G.L.	2055


| | | |



0 Gamma Ray 150
-200 SP (mV) 0
0 Shallow Resistivity 50
0 Deep Resistivity 50
1000 Conductivity 0
15000 Line Tension 0
50 Shallow Resistivity 500
50 Deep Resistivity 500
LSPD
250
300
350
400
450
500
550
600
650
700
-50
-92
-93
-92
-90
-92
-90
-94
-94
-92



750
800
850
900
950
1000
1050
1100
1150
1200
1250
-95
-94
-94
-94
-90
-92
-91
-91
-91
-92
-90


1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
-92
-89
-89
-89
-86
-89
-89
-89
-89
-86
-86



1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
-86
-86
-85
-86
-86
-85
-86
-86
-83
-83
-82



2400
2450
2500
2550
2600
2650
2700
2750
2800
2850
2900
-81
-83
-82
-82
-83
-83
-83
-82
-80
-80
-33


2950
3000
3050
3100
3150
3200
3250
3300
3350
3400
3450
-33
-33
-33
-33
-33
-32
-32
-32
-31
-32



Database File: c:\warrior\data\venture_white #1-34\venture_white_1-34hd.db
Dataset Pathname: dil/vestack
Presentation Format: dil
Dataset Creation: Wed Aug 20 11:15:48 2014
Charted by: Depth in Feet scaled 1:240






0	Gamma Ray	150
-200	SP (mV)	0
-160	RxoRt	40


0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0
	LSPD	


Database File:	c:\warrior\data\venture_white #1-34\venture_white_1-34hd.db
Dataset Pathname:	dil/vestack
Presentation Format:	dil
Dataset Creation:	Wed Aug 20 11:15:48 2014
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
-200	SP (mV)	0
-160	RxoRt	40


0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0
	LSPD	




3000
3050
3100
3150
3200
-33
-33
-33
-33
-33


3250
3300
3350
3400
-32
-32
-32
-31


3450
3500
3550
3600
-32
-32
-32
-31



0	Gamma Ray	150
-200	SP (mV)	0
-160	RxoRt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD