PIONEER

Pioneer Energy Services

Dual Compensated Porosity Log

API No. 15-065-24057-00-00

Company Venture Resources, Inc.

Well White #1-34

Field Wildcat

County Graham State Kansas

Location 1650' FNL & 1980' FWL

Sec: 34 Twp: 7S Rge: 21W

Other Services
DIL
MEL/BHCS

Elevation
K.B. 2062
D.F.
G.L. 2055

Permanent Datum Ground Level Elevation 2055
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date	8/20/2014
Run Number	One
Type Log	CNL / CDL
Depth Driller	3710
Depth Logger	3702
Bottom Logged Interval	3681
Top Logged Interval	2900
Type Fluid In Hole	Chemical
Salinity, PPM CL	1000
Density	9.0
Level	Full
Max. Rec. Temp. F	113
Operating Rig Time	5 Hours
Equipment -- Location	91 Hays
Recorded By	D. Schmidt
Witnessed By	Brad Rine

Borehole Record

Run No.	Bit	From	To
1	12.25	00	252
2	7.875	252	3710

Casing Record

Size	Wgt.	From	To
8.625	24#	00	252


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services
www.pioneeres.com
785 625 3858
Bogue,
North to Hwy 24, 1/8 East to 360 Ave,
3 North, 1 East, 1 South, 1/2 East,
South into

Database File:	c:\warrior\data\venture_white #1-34\venture_white_1-34hd.db
Dataset Pathname:	dil/vestack
Presentation Format:	cdl
Dataset Creation:	Wed Aug 20 11:15:48 2014
Charted by:	Depth in Feet scaled 1:600


0 Gamma Ray 150
6 Caliper (GAPI) 16
30 Compensated Density -10
2 Bulk Density 3
15000 Line Tension 0
2.625 DGA 3.425 -0.25 Correction 0.25
LSPD
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
-33
-33
-33
-33
-33
-33
-32
-32
-32



0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25


LSPD


Database File: c:\warrior\data\venture_white #1-34\venture_white_1-34hd.db
Dataset Pathname: dil/vestack
Presentation Format: cndlspec
Dataset Creation: Wed Aug 20 11:15:48 2014
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Neutron (Limestone)				-10
30	Compensated Density (Limestone)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0


LSPD




2950
3000
3050
3100
-33
-33
-33
-33


3150
3200
3250
3300
-33
-33
-32
-32


3350
3400
3450
3500
3550
-32
-31
-32
-32
-32


3600
3650
3700
-31
-32
-31
0
Gamma Ray
150
6
Caliper (GAPI)
16
30
Compensated Neutron (Limestone)
-10
30
Compensated Density (Limestone)
-10
2.625
DGA
3.425
-0.25
Correction
0.25
15000
Line Tension
0
LSPD