PIONEER

Pioneer Energy Services

Borehole Compensated Sonic Log

Company	Venture Resources, Inc.
Well	White #1-34
Field	Wildcat
County	Graham State Kansas
API No.	15-065-24057-00-00

Location

1650' FNL & 1980' FWL

Sec: 34 Twp: 7S Rge: 21W

Permanent Datum — Ground Level — Elevation 2055
Log Measured From — Kelly Bushing — 7 Ft. Above Perm. Datum
Drilling Measured From — Kelly Bushing

Other Services
CNL/CDL
MEL/DIL

Elevation
K.B. 2062
D.F.
G.L. 2055

Date	8/20/2014
Run Number	Two
Type Log	BHC Sonic
Depth Driller	3710
Depth Logger	3702
Bottom Logged Interval	3691
Top Logged Interval	250
Type Fluid In Hole	Chemical
Salinity, PPM CL	1000
Density	9.0
Level	Full
Max. Rec. Temp. F	113
Operating Rig Time	5 Hours
Equipment -- Location	91 Hays
Recorded By	D. Schmidt
Witnessed By	Brad Rine

Borehole Record

Run No.	Bit	From	To
1	12.25	00	252
2	7.875	252	3710

Casing Record

Size	Wgt.	From	To
8.625	24#	00	252

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Pioneer Energy Services
www.pioneeres.com
785 625 3858
Bogue,
North to Hwy 24, 1/8 East to 360 Ave,
3 North, 1 East, 1 South, 1/2 East,
South into


Database File:	c:\warrior\data\venture_white #1-34\venture_white_1-34hd.db
Dataset Pathname:	dil/vestack
Presentation Format:	sonic
Dataset Creation:	Wed Aug 20 11:15:48 2014
Charted by:	Depth in Feet scaled 1:240


Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40	
150	Gamma Ray	300	5 0	30	SPOR	-10	
6	Caliper (GAPI)	16		15000	LTEN (lb)	0	
							LSPD






450
500
550
600
650
-90
-92
-90
-94
-94



700
750
800
850
-92
-95
-94
-94



900
950
1000
1050
1100
-94
-90
-92
-91
-91



1150
-91
1200
-92
1250
-90
1300
-92



1350
-89
1400
-89
1450
-89
1500
-86



1550
1600
1650
1700
1750
-89
-89
-89
-89
-86



1800
1850
1900
1950
-86
-86
-86
-85



2000
2050
2100
2150
2200
-86
-86
-85
-86
-86



2250
2300
2350
2400
-83
-83
-82
-81



2450
2500
2550
2600
-83
-82
-82
-83


2650
2700
2750
2800
2850
-83
-83
-82
-80
-80


2900
2950
3000
3050
-33
-33
-33
-33


3100
3150
3200
3250
3300
-33
-33
-33
-32
-32


3350
3400
3450
3500
-32
-31
-32
-32



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5 0	30	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
						LSPD