



Pioneer Energy Services

Radiation Guard Log

15-065-24,058-00-00

Company TexKan Exploration, LLC
Well Rome No. 2
Field Emor North
County Graham **State** Kansas
Location 1,320' FSL & 660' FWL
Sec: 27 **Twp:** 9S **Rge:** 25W

Other Services
 CALIPER
 Elevation
 K.B. 2557
 D.F. G.L. 2550

Permanent Datum	Ground Level	Elevation 2550
Log Measured From	Kelly Bushing	7 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date		8/16/2014
Run Number		One
Depth Driller		4179
Depth Logger		4170
Bottom Logged Interval		4169
Top Log Interval		200
Casing Driller		8.625 @ 220
Casing Logger		220
Bit Size		7.875
Type Fluid in Hole		Chemical
Salinity, ppm CL		1500
Density / Viscosity		9.2 55
pH / Fluid Loss		11.0 6.8
Source of Sample		Flowline
Rm @ Meas. Temp		.88 @ 82
Rmf @ Meas. Temp		.66 @ 82
Rmc @ Meas. Temp		1.19 @ 82
Source of Rmf / Rmc		Charts
Rm @ BHT		.61 @ 118
Operating Rig Time		2 1/2 Hours
Max Rec. Temp. F		118
Equipment Number		108
Location		Hays
Recorded By		J. Long
Witnessed By		Gayland Simpson

<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858

Wakeeney, North to H Road (Red Line Road), 12 3/4 West, North Into

Database File: texkanexploration_rome_2hd.db
 Dataset Pathname: rag/textrag
 Presentation Format: rag2in
 Dataset Creation: Sat Aug 16 06:25:24 2014
 Charted by: Depth in Feet scaled 1:600





750

800

850

900

950

1000


1050


1100

1150

1200

1250





1300

1350

1400

1450

1500

1550


1600



1650


1700

1750

1800







2400

2450

2500

2550

2600

2650


2700


2750

2800

2850

2900





2950

3000

3050

3100

3150

3200


3250


3300

3350

3400

3450





3500

3550

3600

3650

3700

3750


3800


3850

3900

3950


4000








Database File: texkanexploration_rome_2hd.db
 Dataset Pathname: rag/textrag
 Presentation Format: rag
 Dataset Creation: Sat Aug 16 06:25:24 2014
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	0.2	LGRD	2000
6	Caliper (GAPI)	16	560	SWNC	2160
-200	sp (mV)	0	15000	Line Tension	0
0	RWA	0.5			LSPD






Database File: texkanexploration_rome_2hd.db
 Dataset Pathname: rag/textrag
 Presentation Format: rag
 Dataset Creation: Sat Aug 16 06:25:24 2014
 Charted by: Depth in Feet scaled 1:240







0	Gamma Ray	150
6	Caliper (GAPI)	16
-200	sp (mV)	0
0	RWA	0.5



0.2	LGRD	2000
560	SWNC	2160
15000	Line Tension	0
		LSPD