



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-055-22,316-00-00

Company **American Warrior, Inc.**

Well **Tancayo No. 2-3**

Field

County **Finney**

State **Kansas**

Location **2,274' FSL & 2,258' FWL**

Sec: 3

Twp: 25s

Rge: 31w

Other Services
DIL/MEL

Permanent Datum **Ground Level** Elevation **2862**

Log Measured From **Kelly Bushing** 11 Ft. Above Perm. Datum

K.B. 2873
D.F. 2862
G.L. 2862

Drilling Measured From **Kelly Bushing**

Elevation

Run Number

One

Type Log

CNL / CDL

Depth Driller

5100

Depth Logger

5100

Bottom Logged Interval

5079

Top Logged Interval

3950

Type Fluid In Hole

Chemical

Salinity, PPM CL

2900

Density

9.45

Level

Full

Max. Rec. Temp. F

127

Operating Rig Time

4 Hours

Equipment -- Location

108 Hays

Recorded By

J Long

Witnessed By

Kevin Timson

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

1710

8.625

23#

00

1710

Two

7.875

1710

TD

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
			LSPD















