



MIDWEST SURVEYS
 LOGGING - PERFORATING - CONSULTING SERVICES
 P.O. Box 68, Osawatomie, KS 66064
 913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

Company **Utah Oil, LLC**

Well **Neese No. SV-12**

Field **Paola - Rantoul**

County **Franklin** State **Kansas**

Location **2480' FSL & 4501' FEL
 NW-NE-NW-SW**

Other Services
Perforate

Sec 29 Twp 17S Rge 21E
 Permanent Datum GL Elevation 918'
 Log Measured From GL
 Drilling Measured From GL

Date **07-19-2014**

Run Number **One**

Depth Driller **696.0**

Depth Logger **627.0**

Bottom Logged Interval **626.0**

Top Log Interval **20.0**

Fluid Level **Full**

Type Fluid **Water**

Density / Viscosity **NA**

Salinity - PPM Cl **NA**

Max Recorded Temp **NA**

Estimated Cement Top **0.0**

Equipment No. **107** Location **Osawatomie**

Recorded By **Steve Windisch**

Witnessed By **Brad Leach**

BORE-HOLE RECORD

CASING RECORD

NO	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	11.25"	0.0	20.0	7.00"	17.0#	0.0	20.0
Two	5.875"	20.0	696.0	2.875"	6.5#	0.0	691.4
				Bit	Set	At	629.9


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
 Utah Oil, LLC

Database File: neese 12sv.db
 Dataset Pathname: pass1
 Presentation Format: gr-n-ccl
 Dataset Creation: Sat Jul 19 10:22:26 2014 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240



07-22-2014
 Perforated Interval
 561.0 - 570.0 28 Perfs
 2" DML RTG