



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company	TRANS PACIFIC OIL CORP.		
Well	MONGEAU TRUST "A" #1-30		
Field			
County	ROOKS	State	KANSAS
Location:	API # : 15-163-24224		Other Services CDL/CNL/PE DIL/SONIC
1014' FSL & 1969' FWL			
Permanent Datum	GROUND LEVEL		Elevation
Log Measured From	KELLY BUSHING 5' A.G.L.		K.B. 2048
Drilling Measured From	KELLY BUSHING		D.F. G.L. 2043
Date	7-28-14		
Run Number	TWO		
Depth Driller	3660		
Depth Logger	3659		
Bottom Logged Interval	3642		
Top Log Interval	2900		
Casing Driller	217		
Casing Logger	217		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.4 / 60		
pH / Fluid Loss	9.0 / 8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.40 @ 90F		
Rmf @ Meas. Temp	1.05 @ 90F		
Rmc @ Meas. Temp	1.68 @ 90F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	1.13 @ 111F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	6.15 P.M.		
Maximum Recorded Temperature	111F		
Equipment Number	3802		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	ALEX CHAPIN		
	B. BIDDLEMAN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

NABORS COMPLETION & PRODUCTION SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: STOCKTON, 5W, 4N, E INTO.




**COMPLETION
& PRODUCTION**


MAIN SECTION

Database File: 24714pdn.db
 Dataset Pathname: pass7.3A
 Presentation Format: _micro
 Dataset Creation: Mon Jul 28 22:32:54 2014
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
0	MINMK	20

0	MEL1.5 (Ohm-m)	40
0	MEL2.0 (Ohm-m)	40








3100


3150

3200

3250








REPEAT SECTION

Database File: 24714pdn.db
 Dataset Pathname: pass6.A
 Presentation Format: _micro
 Dataset Creation: Mon Jul 28 20:42:56 2014 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
0	MINMK	20



3450

3500

3550

3600

0	MEL1.5 (Ohm-m)	40
0	MEL2.0 (Ohm-m)	40

