







DUAL INDUCTION LOG

<<< Fold Here >>>
All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.
Comments
THANK YOU FOR USING NABORS COMPLETION & PRODUCTION SVCS. (785) 628-6395
DIRECTIONS: HUDSON, KS. - 1 WEST TO NE 40 RD. - 1/2 SOUTH - WEST INTO

0	Gamma Ray (GAPI)	150	0	RLL3 (Ohm-m)	50	
-100	SP (mV)	100	0	Deep Induction (Ohm-m)	50	
-----			1000	CILD (mmho/m)		0
			50	RILD X10 (Ohm-m)	500	
			50	RLL3 X10 (Ohm-m)	500	







1050

1100

1150

1200

1250

1300



1350



1400


1450

1500

1550







2150

2200

2250

2300

2350

2400


2450


2500

2550

2600

2650





2700

2750

2800

2850

2900

2950



3000


3050

3100

3150

3200





3250

3300

3350

3400

3450

3500



3550


3600

3650



3700

3750







Database File: 25810ddh.db
 Dataset Pathname: pass3.5
 Presentation Format: _dil
 Dataset Creation: Thu Aug 28 23:00:30 2014 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	0.2	SHALLOW GUARD (Ohm-m)	2000
-100	SP (mV)	100	0.2	MEDIUM INDUCTION (Ohm-m)	2000
-250	Rxo/Rt	50	0.2	DEEP INDUCTION (Ohm-m)	2000







3000

3050

3100

3150






3200


3250

3300

3350

3400








3450

3500

3550

3600






Database File: 25810ddn.db
Dataset Pathname: pass2.1
Presentation Format: _dil
Dataset Creation: Thu Aug 28 21:40:26 2014 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000




3600

3650

3700

3750



		Serial Number:	080620
		Tool Model:	Probe
PRE-SURVEY VERIFICATION			
Detector	Readings	Measured	Target
Short Space	cps		
Long Space	cps	pu	pu
POST-SURVEY VERIFICATION			
Detector	Readings	Measured	Target
Short Space	cps		
Long Space	cps	pu	pu
Gamma Ray Calibration Report			
Serial Number:	46001		
Tool Model:	Probe1		
Performed:	Sat Aug 02 01:56:52 2014		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.2600	GAPI/cps	