



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**SONIC
LOG**

Company		PROLIFIC RESOURCES, LLC.	
Well		#1 RANDY ROSE	
Field		WILDCAT	
County		LOGAN	
State		KANSAS	
Company		PROLIFIC RESOURCES, LLC.	
Well		#1 RANDY ROSE	
Field		WILDCAT	
County		LOGAN	
State		KANSAS	
Location:		API # : 15-109-21433-0000	
Permanent Datum		330' FSL & 330' FWL (SW SW SW)	
Log Measured From		GROUND LEVEL Elevation KELLY BUSHING 5' A.G.L. 2692	
Drilling Measured From		SEC 3 TWP 15S RGE 32W KELLY BUSHING Elevation K.B. 2697 D.F. 2695 G.L. 2692	
Date	8/28/15		
Run Number	TWO		
Depth Driller	4485		
Depth Logger	4487		
Bottom Logged Interval	4473		
Top Log Interval	250		
Casing Driller	8 5/8" @ 302'		
Casing Logger	300		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.4/55		
pH / Fluid Loss	10.5/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.0 @ 90F		
Rmt @ Meas. Temp	.75 @ 90F		
Rmc @ Meas. Temp	1.2 @ 90F		
Source of Rmt / Rmc	MEASUREMENT		
Rm @ BHT	.75 @ 120F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	120F		
Equipment Number	4010		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	KIM SHOEMAKER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING NABORS, HAYS, KS. (785) 628-6395
DIRECTIONS:
OAKLEY, KS. - 24 SOUTH (ABOUT 1/2 MILE PAST MILE MARKER 128) - WEST INTO

Database File:

30517ddn.db

Dataset Pathname:

pass6.2

Presentation Format:

_slt


Dataset Creation:


Fri Aug 28 09:08:26 2015 by Calc Open-Cased 090629



Charted by:


Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
-----			-----					
0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				











900

950

1000

1050






1100


1150

1200

1250

1300







1350

1400

1450

1500








1550


1600

1650

1700










2000


2050

2100

2150









2450

2500

2550

2600








2650


2700

2750

2800










3100


3150

3200

3250









3550

3600

3650

3700







3750

3800

3850

3900






3950


4000

4050

4100

4150







4200

4250

4300

4350





NABORS
COMPLETION
& PRODUCTION
SERVICES CO.

REPEAT SECTION

Database File: 30517ddn.db
Dataset Pathname: pass5.1
Presentation Format: _slt
Dataset Creation: Fri Aug 28 08:36:52 2015 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

