

PIONEER

**DUAL COMP POROSITY
LOG**

Pioneer Energy Services

Company **BECKER OIL CORPORATION**
Well **OTTLEY NO. 1**
Field **CAMPUS SIDING NORTH**
County **THOMAS** State **KANSAS**

Location: API #: 15-193-20,959-00-00
1,200' FNL & 335' FWL
SEC 36 TWP 10S RGE 31W
Permanent Datum **GROUND LEVEL** Elevation **2910'**
Log Measured From **KELLY BUSHING**
Drilling Measured From **KELLY BUSHING**
Other Services
DIL/MEL
K.B. 2915'
D.F. N/A
G.L. 2910'

Date	10/25/2015						
Run Number	ONE						
Type Log	CNL/CDL						
Depth Driller	4625'						
Depth Logger	4625'						
Bottom Logged Interval	4595'						
Top Logged Interval	3500'						
Type Fluid In Hole	CHEMICAL						
Salinity, PPM CL	2000						
Density	9.4						
Level	FULL						
Max. Rec. Temp. F	122						
Operating Rig Time	2 1/2 HOURS						
Equipment -- Location	108 Hays						
Recorded By	J. LONG						
Witnessed By	CLYDE BECKER						
Borehole Record					Casing Record		
Run No.	Bit	From	To	Size	Wgt. 23#	From	To
ONE	12.25	00	220	8.625		00	220
TWO	7.875	220	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and Pioneer Wireline Services, LLC cannot and does not guarantee the accuracy or correctness of any interpretation, and Pioneer Wireline Services, LLC will not be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees.

Comments

N/A DENOTES NOT AVAILABLE OR NON-APPLICABLE.

CAMPUS ROAD AND I-70 INTERSECTION, 2 1/4 NORTH, EAST INTO

Log Measured From: KELLY BUSHING

5 Ft. Above Permanent Datum

THANK YOU FOR USING PIONEER ENERGY SERVICES

www.pioneerenergy.com 785-625-3858

Your Pioneer Energy Services Crew

Engineer: J. LONG
Operator:
Operator:
Operator:

This Log Record Was Witnessed By

Primary Witness: CLYDE BECKER
Secondary Witness:
Secondary Witness:
Secondary Witness:

Database File		beckeroil_ottley_1hd.db	
Dataset Pathname		DIL/beckstck	
Presentation Format		cdl	
Dataset Creation		Sun Oct 25 08:22:04 2015	
Charted by		Depth in Feet scaled 1:600	

0	Gamma Ray (GAPI)	150	30	Compensated Density (pu)		-10
6	Caliper (in)	16	2	Bulk Density (g/cc)		3
			15000	Line Tension (lb)		0
			2.625	DGA (g/cc)	3.425	-0.25
			Correction (g/cc)		0.25	
			LSPD (ft/min)			















