



MIDWEST SURVEYS
 LOGGING - PERFORATING - CONSULTING SERVICES
 P.O. Box 68, Oskawatomie, KS 66064
 913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No. _____

Company: **Miller Energy, LLC.**

Well: **Branton No. 6-1**

Field: **Garnett Shoestring**

County: **Anderson**

State: **Kansas**

Location: **3650' FSL & 1381' FEL**

Other Services: **Perforate**

Sec 21 Twp 20S Rge 20E

Permian Datum Log Measured From

Drilling Measured From

Date: **08-24-2015**

Run Number: **One**

Depth Driller: **789.0**

Depth Logger: **783.3**

Bottom Logged Interval: **782.3**

Top Log Interval: **20.0**

Fluid Level: **Full**

Type Fluid: **Water**

Density / Viscosity: **NA**

Salinity - PPM Cl: **NA**

Max Recorded Temp: **NA**

Estimated Cement Top: **0.0**

Equipment No.: **102**

Recorded By: **Gary Windisch**

Witnessed By: **Tom Miller**

BORE-HOLE RECORD				CASING RECORD			
RUN No.	BIT FROM	TO	SIZE	WGT.	FROM	TO	
One	9.875"	0.0	7.00"	17.0 #	0.0	20.0	
Two	5.625"	20.0	7.89.0	2.875"	6.5 #	0.0	783.4

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
RJ Enterprises

Database File: branton 0i.db
 Dataset Pathname: pass1
 Presentation Format: gr-n-ccl
 Dataset Creation: Mon Aug 24 12:44:11 2015 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (cps)	150	-1 CCL 1	100	Neutron (cps)	1900
150	Gamma Ray (cps)	300				



09-09-2015
 Perforated Interval
 757.0 - 767.0 21 Perfs.
 2" DML RTG

0	Gamma Ray (cps)	150	-1 CCL 1	100	Neutron (cps)	1900
150	Gamma Ray (cps)	300				