



MICRO RESISTIVITY LOG

Company Palomino Petroleum Inc.		Company Palomino Petroleum Inc.	
Well Wallace-Rebarchek #1	Well Wallace-Rebarchek #1		
Field Wildcat	Field Wildcat		
County Gove	County Gove		
State Kansas	State Kansas		
Location:		API # : 15 063 22269	Other Services DIL CDNL
SEC 19 TWP 414S RGE 30W			
Permanent Datum	Ground Level	Elevation	2827'
Log Measured From	KB 5' AGL		
Drilling Measured From	KB		
Date	10-22-15		
Run Number	Two		
Depth Driller	4749'		
Depth Logger	4749'		
Bottom Logged Interval	4747'		
Top Log Interval	3700'		
Casing Driller	208'		
Casing Logger	208'		
Bit Size	7 7/8"		
Type Fluid in Hole	Chemical		
Density / Viscosity	9.0/68		
pH / Fluid Loss	10.0/8.0		
Source of Sample	Pit		
Rm @ Meas. Temp	1.65@65degf		
Rmf @ Meas. Temp	1.32@65degf		
Rmc @ Meas. Temp	2.1@65degf		
Source of Rmf / Rmc	Calculated		
Rm @ BHT	1.6@125degf		
Time Circulation Stopped	3:00 p.m.		
Time Logger on Bottom	7:30 p.m.		
Maximum Recorded Temperature	120degf		
Equipment Number	T729		
Location	Hays, KS		
Recorded By	L. Smith		
Witnessed By	Mr. Andrew Stenzel		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

South of Gove to I rd, East to curve North, 1/2 north, East into





Main Pass

Database File	ppwallacerebarchek#1oh.db
Dataset Pathname	pas6
Presentation Format	kml
Dataset Creation	Thu Oct 22 19:50:22 2015
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150
6	MCAL (in)	16
6	BOREID (in)	16

0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20
10000	LTEN (lb)	0







4000

4050

4100

4150






4200


4250

4300

4350

4400







4450

4500

4550

4600







Repeat Pass

Database File ppwallacerebarchek#1oh.db
 Dataset Pathname pas5
 Presentation Format kml
 Dataset Creation Thu Oct 22 19:42:22 2015
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	0	MN 2" (Ohm-m)	20
6	MCAL (in)	16	0	MI 1" (Ohm-m)	20
6	BOREID (in)	16	10000	LTEN (lb)	0





Calibration Report

Database File ppwallacerebarchek#1oh.db
 Dataset Pathname pas5
 Dataset Creation Thu Oct 22 19:42:22 2015

