



PIONEER

Pioneer Energy Services

Dual Compensated Porosity Log

API No.

15-063-22250-00-00

Company Palomino Petroleum, Inc.

Well RS #1

Field Wildcat

County Gove

State Kansas

Location

2290' FSL & 2435' FEL

Other Services
DIL/MEL

Sec: 18 Twp: 14S Rge: 30W

Permanent Datum Ground Level Elevation 2869
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2874
D.F. 2869
G.L. 2869

Date 3/27/2015

Run Number One
Type Log CNL / CDL

Depth Driller 4764
Depth Logger 4766

Bottom Logged Interval 4737
Top Logged Interval 3500

Type Fluid In Hole Chemical
Salinity, PPM CL 2700

Density 9.4
Level Full

Max. Rec. Temp. F 124
Operating Rig Time 3 Hours

Equipment -- Location 91 Hays
Recorded By D. Schmidt

Witnessed By Ryan Seib

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

23#

From

To

One 12.25

00

219

8.625

23#

00

219

Two 7.875

219

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services
785.625.3858

Gove,
South to I Rd, 11 West, 1 1/2 North,
East into

Database File palomino_rsss #1hd.db
Dataset Pathname dil/pastkml
Presentation Format cdl
Dataset Creation Fri Mar 27 01:59:25 2015
Charted by Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			

















