



**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company VINCENT OIL CORP.
Well SMITH #2-8
Field
County FORD
State KANSAS

Company VINCENT OIL CORPORATION
Well SMITH #2-8
Field
County FORD State KANSAS

Location: 2460' FSL & 1505' FWL
API # : 15-057-20936-0000
SEC 8 TWP 29S RGE 22W
Permanent Datum GROUND LEVEL Elevation 2523
Log Measured From KELLY BUSHING 10' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/SON
Elevation
K.B. 2533
D.F. 2531
G.L. 2523

Date	7/30/14
Run Number	TWO
Depth Driller	5440
Depth Logger	5434
Bottom Logged Interval	5426
Top Log Interval	4200
Casing Driller	8 5/8" @ 686
Casing Logger	687
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.0/44
pH / Fluid Loss	10.5/12.0
Source of Sample	FLOWLINE
Rim @ Meas. Temp	0.90 @ 80F
Rmf @ Meas. Temp	0.68 @ 80F
Rmc @ Meas. Temp	1.08 @ 80F
Source of Rmf / Rmc	MEASUREMENT
Rim @ BHT	0.56 @ 129F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	129F
Equipment Number	4854
Location	HAYS, KANSAS
Recorded By	JEFF GRONEMEG
Witnessed By	KENLEBLANC


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS
KINGSDOWN, KS - 1 1/2 MILES NORTH ON RD 125
EAST INTO

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		









4650


4700

4750

4800









5100

5150


5200


5250





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 24559pe.db
 Dataset Pathname: pass7.1
 Dataset Creation: Thu Jul 31 03:07:37 2014 by Calc SOC 120430

MICRO Calibration Report

Serial Number:	070911	
Tool Model:	ProbeN	
Performed:	Mon Jun 16 14:49:24 2014	
Caliper Calibration:	Gain=3.768	Offset=2.771
References	Low Cal	High Cal
Readings	7.500	15.000
	1.361	3.352
1.5" Calibration:	Gain=25.000	Offset=0.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.269
2" Calibration:	Gain=30.000	Offset=0.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.002	1.101

Gamma Ray Calibration Report

Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Tue Jun 10 17:15:42 2014	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2200	GAPI/cps