



Pioneer Energy Services

Microresistivity Log

API No.

15-171-21,119-00-00

Company Val Energy, Inc.

Well CJK No. 1-17

Field Star Trek

County Scott State

Kansas

Location

1,675' FNL & 952' FWL

Sec: 17

Twp: 17S

Rge: 33W

Elevation

Permanent Datum Ground Level Elevation 3055
Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 3064
D.F.
G.L. 3055

Date

12/19/2014

Run Number

Two

Depth Driller

4800

Depth Logger

4804

Bottom Logged Interval

4803

Top Log Interval

3600

Casing Driller

8,625 @ 246

Casing Logger

243

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

9000

Density / Viscosity

9.4 57

pH / Fluid Loss

9.5 9.6

Source of Sample

Flowline

Rm @ Meas. Temp

.60 @ 60

Rmf @ Meas. Temp

.45 @ 60

Rmc @ Meas. Temp

.81 @ 60

Source of Rmf / Rmc

Charts

Rm @ BHT

.29 @ 124

Operating Rig Time

4 Hours

Max Rec. Temp. F

124

Equipment Number

108

Location

Hays

Recorded By

J. Long

Witnessed By

Harley Sayles

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Oakley, South to Highway 83 and Highway 4 Intersection, 5 West, 1 1/2 South Into

Database File: val_cjk_1-17hd.db
Dataset Pathname: dil/valstck
Presentation Format: micro
Dataset Creation: Fri Dec 19 19:27:50 2014
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP (mV)	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD




3600

3650

3700

3750




-34

-33

-33

-34




3800

3850

3900

3950

4000




-33

-33

-34

-33

-33




4050

4100

4150

4200




-34

-33

-32

-33



4500

4550

4600

4650

