



**Weatherford**

**COMPACT PHOTO DENSITY  
COMPENSATED NEUTRON  
MICRORESISTIVITY LOG**

COMPANY	O'BRIEN RESOURCES, LLC.		
WELL	VONDRACEK 4-1		
FIELD	PECHANEC SOUTHWEST		
PROVINCE/COUNTY	RUSH		
COUNTRY/STATE	U.S.A. / KANSAS		
LOCATION	2310' FSL & 452' FEL		
SEC 4	TWP 19S	RGE 17W	Other Services
Latitude	MSS		
Longitude	MSS		
API Number	15-165-22088		
Permanent Datum GL, Elevation	2104 feet		
Log Measured From	KB		
Drilling Measured From	KB @ 7 feet		
Date	28-AUG-2014		
Run Number	ONE		
Service Order	7577-96382198		
Depth Driller	3862.00	feet	Elevations: KB 2111.00
Depth Logger	3864.00	feet	DF 2109.00
First Reading	3832.00	feet	GL 2104.00
Last Reading	3300.00	feet	
Casing Driller	261.00	feet	
Casing Logger	262.00	feet	
Bit Size	7.875	inches	
Hole Fluid Type	CHEMICAL		
Density / Viscosity	9.30 lb/USg	52.00 CP	
PH / Fluid Loss	9.00	11.20 ml/30Min	
Sample Source	MUD PIT		
Rm @ Measured Temp	0.42 @ 81.0	ohm-m	
Rmf @ Measured Temp	0.34 @ 81.0	ohm-m	
Rmc @ Measured Temp	0.50 @ 81.0	ohm-m	
Source Rmf / Rmc	CALC	CALC	
Rm @ BHT	0.31 @ 111.0	ohm-m	
Time Since Circulation	5 HOURS		
Max Recorded Temp	111.00	deg F	
Equipment / Base	13244	LIB	
Recorded By	JEFFREY RANDLE		
Witnessed By	KURT TALBOTT		
JOB #	LB14-254		

BOREHOLE RECORD			Last Edited: 28-AUG-2014 03:00
Bit Size inches	Depth From feet	Depth To feet	
7.875	261.00	3862.00	
CASING RECORD			
Type	Size inches	Depth From feet	Shoe Depth feet
SURFACE	8.625	0.00	261.00
			Weight pounds/ft
			24.00

**REMARKS**

- SOFTWARE ISSUE: WLS 13.08.2113.
- RUN ONE: MCG, MML, MDN, MPD, MFE, MSS, MAI RUN IN COMBINATION.
- RUN TWO: MCG, MSS RUN IN COMBINATION.
  - HARDWARE: DUAL BOWSPRING USED ON MDN.
  - 0.5 INCH STANDOFF USED ON MFE.
  - 2 X 0.5 INCH STANDOFFS USED ON MSS.
  - 0.5 INCH STANDOFF USED ON MAI.
- 2.71 G/CC LIMESTONE DENSITY MATRIX USED TO CALCULATE POROSITY.
- BOREHOLE RUGOSITY, TIGHT PULLS, AND WASHOUTS WILL AFFECT DATA QUALITY.
- ALL INTERVALS LOGGED AND SCALED PER CUSTOMER'S REQUEST.
- TOTAL HOLE VOLUME FROM TD TO SURFACE CASING: 1604 CU.FT.
- ANNUAL HOLE VOLUME WITH 4.5 INCH PRODUCTION CASING FROM TD TO 3300 FEET: 127 CU.FT.

- RIG: MAVERICK DRILLING RIG #102.


- ENGINEER: J. RANDLE.


- OPERATOR: J. LaPOINT, S. LARES.

\*\*\*\*\*RUN TWO SONIC DATA WAS SPLICED INTO RUN ONE DATA TO PROVIDE MORE COMPLETE COVERAGE OF ZONE CLOSEST TO TD PER CUSTOMER REQUEST FOR SONIC DATA ON DETAIL AS CLOSE TO TD AS POSSIBLE.\*\*\*\*\*

In interpreting, communicating or providing information and/or making recommendations, either written or oral, as to logs or test or other data, type or amount of material, or Work or other service to be furnished, or manner of performance, or in predicting results to be obtained, the Contractor will give the Company the benefit of the Contractor's best judgment based on its experience and will perform all such Work in a good and workmanlike manner. Any interpretation of test or other data, and any recommendation or reservoir description based upon such interpretations, are opinions based upon inferences from measurements and empirical relationships and assumptions, which inferences and assumptions are not infallible, and with respect to which professional engineers and analysts may differ. ACCORDINGLY ANY INTERPRETATION OR RECOMMENDATION RESULTING FROM THE SERVICES WILL BE AT THE SOLE RISK OF THE COMPANY, AND THE CONTRACTOR CANNOT AND DOES NOT WARRANT THE ACCURACY, CORRECTNESS OR COMPLETENESS OF ANY SUCH INTERPRETATION OR RECOMMENDATION, WHICH INTERPRETATIONS AND RECOMMENDATIONS SHOULD NOT, THEREFORE, UNDER ANY CIRCUMSTANCES BE RELIED UPON AS THE SOLE OR MAIN BASIS FOR ANY DRILLING, COMPLETION, WELL TREATMENT, PRODUCTION OR FINANCIAL DECISION, OR ANY PROCEDURE INVOLVING ANY RISK TO THE SAFETY OF ANY DRILLING ACTIVITY, DRILLING RIG OR ITS CREW OR ANY OTHER INDIVIDUAL. THE COMPANY HAS FULL RESPONSIBILITY FOR ALL DECISIONS CONCERNING THE SERVICES.

5 INCH MAIN  
Depth Based Data - Maximum Sampling Increment 10.0cm  
Plotted on 28-AUG-2014 11:15  
Filename: C:\Minimus 13.08.2113\Log\O'Brien Re...\O'Brien Resources Vondracek 4-1 Splice Main.dta  
Recorded on 28-AUG-2014 10:03  
System Versions: Plotted with 13.08.2113





94°

2350

400

94°

2400



95°



2450

95°

500

2500





96°

2550

96°

2600

97°


2650

97°

2700

98°


300





Bit Size  
Density Caliper  
Gamma Ray  
DST Uphole Tension


101°  
300  
3000  
Limestone Neutron Por.  
102°  
3050  
103°  
3100  
103°  
3150


MMR MicroLog Inverse  
MMR MicroLog Normal  
Limestone Density Por.  
PE













Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 28-AUG-2014 11:15  
 Filename: C:\Minimus 13.08.2113\Log\O'Brien Re...\O'Brien Resources Vondracek 4-1 Splice Main.dta Recorded on 28-AUG-2014 10:03  
 System Versions: Plotted with 13.08.2113

↑ 5 INCH MAIN ↑

↓ REPEAT SECTION ↓


Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 28-AUG-2014 11:15  
 Filename: C:\Minimus 13.08.2113\Log\O'Brien ...\O'Brien Resources Vondracek 4-1 Run 1 Repeat.dta Recorded on 28-AUG-2014 06:20  
 System Versions: Logged with 13.08.2113 Plotted with 13.08.2113







HVI  
every  
10 cu ft

Annular  
Integral  
every  
10 cu ft



Replay  
Scale  
1:240




3652



3700

110°

3750

3800





Timing Marks  
every 60.0 sec

Gamma Ray  
API  
0 75 150  
150 225 300

Density Caliper  
inches  
6 11 16

Bit Size  
inches  
6 11 16

DST Uphole Tension  
pounds  
5000 0

Depth in Feet

Borehole Temp in deg F

HVI every 10 cu ft

Annular Integral every 10 cu ft

Replay Scale 1:240

Limestone Neutron Por.  
percent  
30 20 10 0 -10

Limestone Density Por.  
percent  
30 20 10 0 -10

PE  
barns/electron  
0 5 10

MMR MicroLog Normal  
ohm metres  
0 20

MMR MicroLog Inverse  
ohm metres  
0 20


Depth Based Data - Maximum Sampling Increment 10.0cm  
 Plotted on 28-AUG-2014 11:15  
 Filename: C:\Minimus 13.08.2113\Logs\O'Brien ...\O'Brien Resources Vondracek 4-1 Run 1 Repeat.dta  
 Recorded on 28-AUG-2014 06:20  
 System Versions: Logged with 13.08.2113 Plotted with 13.08.2113

↑ REPEAT SECTION ↑

↓ 5 INCH MAIN ↓

Depth Based Data - Maximum Sampling Increment 10.0cm  
 Plotted on 28-AUG-2014 11:15  
 Filename: C:\Minimus 13.08.2113\Logs\O'Brien Re... \O'Brien Resources Vondracek 4-1 Splice Main.dta  
 Recorded on 28-AUG-2014 10:03  
 System Versions: Plotted with 13.08.2113

Depth




Depth  
in  
Feet


Borehole  
Temp in  
deg F


HVI  
every  
10 cu ft

Annular  
Integral  
every  
10 cu ft


Replay  
Scale  
1:240





















111°

3750




110°


3800

0

3850

TD







Depth Based Data - Maximum Sampling Increment 10.0cm  
 Plotted on 28-AUG-2014 11:15  
 Filename: C:\Minimus 13.08.2113\Log\O'Brien Re...\O'Brien Resources Vondracek 4-1 Splice Main.dta  
 Recorded on 28-AUG-2014 10:03  
 System Versions: Plotted with 13.08.2113


↑ 5 INCH MAIN ↑

↓ REPEAT SECTION ↓

Depth Based Data - Maximum Sampling Increment 10.0cm  
 Plotted on 28-AUG-2014 11:15  
 Filename: C:\Minimus 13.08.2113\Log\O'Brien ...\O'Brien Resources Vondracek 4-1 Run 1 Repeat.dta  
 Recorded on 28-AUG-2014 06:20  
 System Versions: Logged with 13.08.2113 Plotted with 13.08.2113







Depth Based Data - Maximum Sampling Increment 10.0cm  
 Plotted on 28-AUG-2014 11:15  
 Filename: C:\Minimus 13.08.2113\Logs\O'Brien ...\O'Brien Resources Vondracek 4-1 Run 1 Repeat.dta  
 Recorded on 28-AUG-2014 06:20  
 System Versions: Logged with 13.08.2113 Plotted with 13.08.2113

↑ REPEAT SECTION ↑

### BEFORE SURVEY CALIBRATION

C:\Minimus 13.08.2113\Logs\O'Brien Resources Vondracek 4-1\O'Brien Resources Vondracek 4-1 Run 1 Repeat.dta

General Constants All 000 Last Edited on 28-AUG-2014,03:35

General Parameters		
Mud Resistivity	0.420	ohm-metres
Mud Resistivity Temperature	81.000	degrees F
Water Level	0.000	feet
Borehole Fluid Processing	Wet Hole	
Hole/Annular Volume and Differential Caliper Parameters		
HVOL Method	Single Caliper	
HVOL Caliper 1	Density Caliper	
HVOL Caliper 2	N/A	
Annular Volume Diameter	4.500	inches
Caliper for Differential Caliper	Density Caliper	
Rwa Parameters		
Porosity used	Crossplot Porosity	
Resistivity used	Array Ind. One Res Rt	
RWA Constant A	0.610	
RWA Constant M	2.150	
SW/APOR Tool Source	0.000	

Down-hole Tension Calibration SMS 0 Field Calibration on 28-AUG-2014 04:30

Reading No	Measured	Calibrated (lbs)
1	15919.11	0.00
2	16496.06	480.60

SP Calibration MCG-C 208 Field Calibration on 25-AUG-2014 14:59

	Measured	Calibrated (mV)
Reference 1	99.3	98.7
Reference 2	-98.0	-98.9

High Resolution Temperature Calibration MCG-C 208 Field Calibration on 23-JAN-2014,17:11

	Measured	Calibrated(Deg F)
Lower	50.00	50.00
Upper	75.00	75.00

High Resolution Temperature Constants MCG-C 208

Last Edited on 23-JAN-2014,17:11

Pre-filter Length 11

Gamma Calibration MCG-C 208

Field Calibration on 25-AUG-2014 15:11

	Measured	Calibrated (API)
Background	71	48
Calibrator (Gross)	1142	773
Calibrator (Net)	1071	725

Gamma Constants MCG-C 208

Last Edited on 28-AUG-2014,03:18

Gamma Calibrator Number	GRC038	
Mud Density	1.11	gm/cc
Caliper Source for Processing	Density Caliper	
Tool Position	Eccentred	
Concentration of KCl		kppm
K Mud Type	Chloride	
K Mud Concentration	0.00	%

Neutron Calibration MDN-B.J 387

Base Calibration on 31-JUL-2014 11:36

Field Check on 25-AUG-2014 15:18

Base Calibration				
	Measured		Calibrated (cps)	
	Near	Far	Near	Far
	2985	92	3714	110
Ratio	32.470		33.764	
Field Calibrator at Base			Calibrated (cps)	
			1675	2460
Ratio			0.681	
Field Check			Calibrated (cps)	
			1690	2481
Ratio			0.689	

Neutron Constants MDN-B.J 387

Last Edited on 25-AUG-2014,15:11

Neutron Source Id	P58125B	
Neutron Jig Number	5824NE	
Epithermal Neutron		
Caliper Source for Processing	Density Caliper	
Stand-off	0.00	inches
Mud Density	1.00	gm/cc
Limestone Sigma	7.10	cu
Sandstone Sigma	4.26	cu
Dolomite Sigma	4.70	cu
Formation Pressure Source	None	
Formation Pressure	0.00	kpsi
Temperature Source	Constant Value	
Temperature	68.00	degrees F
Mud Salinity	0.00	kppm
Salinity Correction	Not Applied	
Formation Fluid Salinity Source	None	
Formation Fluid Salinity	0.00	kppm
Barite Mud Correction	Not Applied	

FE Calibration MFE-A.A 55

Base Calibration on 30-JUL-2014 09:41

Field Check on 25-AUG-2014 14:47

Base Calibration		
	Measured	Calibrated (ohm-m)
Reference 1	0.0	0.0
Reference 2	951.6	126.8
Base Check		281.4
Field Check		281.4

Running Mode	No Sleeve	
MFE K Factor	0.1268	
Caliper Source for FE correction	Density Caliper	
Caliper Value for FE correction	N/A	inches
Rm Source for FE correction	Temperature Corr	
Temp. for Rm Corr.	MCG External Temperature	
Stand-off	0.5	inches

Sonic Constants MSS-C.K 330

Last Edited on 28-AUG-2014,03:18

Maximum Boundary Contrast	100.00	micro-sec/ft
Fluid Transit Time	189.00	micro-sec/ft
Limestone Transit Time	47.50	micro-sec/ft
Sandstone Transit Time	55.50	micro-sec/ft
Dolomite Transit Time	43.50	micro-sec/ft
Sonic used for Porosities	3-5' Compensated	
Correction for Sonde Skew	Applied	
Cycle Stretch Algorithm	Applied	
MN3FT	0.00	micro-sec
MX3FT	1500.00	micro-sec
Hunt-Raymer Constant	83.13	micro-sec/ft

Sonde Mode	Compensated
Hole Type	Open Hole

Sonde Parameters

	Measured	Calibrated
Offset	0.0000	0.0000
Free Pipe	0.0000	

Peak Amplitude Source

Waveform	Start Time (micro-sec)	Width (micro-sec)	Pre Gain	Start Gain	Discriminator (mV)
3'	N/A	N/A	N/A	N/A	N/A
4'	N/A	N/A	N/A	N/A	N/A
5'	N/A	N/A	N/A	N/A	N/A
6'	N/A	N/A	N/A	N/A	N/A

Processed Fixed Gate Parameters

Waveform Used For Processing	N/A			
Start Time (micro-sec)	End Time (micro-sec)	Discriminator (mV)	Depth (ft)	
0.00	0.00	0.00	0.00	
0.00	0.00	0.00	0.00	
0.00	0.00	0.00	0.00	
0.00	0.00	0.00	0.00	
0.00	0.00	0.00	0.00	

Full Waveform Parameters

Use 3' Waveform to derive TR	No
Use 4' Waveform to derive TR	No
Use 5' Waveform to derive TR	No
Use 6' Waveform to derive TR	No
3' Waveform Discriminator Level	0.30 mV
4' Waveform Discriminator Level	0.30 mV
5' Waveform Discriminator Level	0.15 mV
6' Waveform Discriminator Level	0.15 mV
3' Waveform Filter	
4' Waveform Filter	
5' Waveform Filter	
6' Waveform Filter	

Semblance Level	0.50	
Semblance Window Width	120.00	micro-sec
Sonic 1 Despiker	100.00	micro-sec/ft
Sonic 2 Despiker	100.00	micro-sec/ft

Induction Calibration MAI-A.A 5

Base Calibration on 21-JAN-2014,09:50

Field Check on 25-AUG-2014 14:46

Base Calibration

Test Loop Calibration		Measured		Calibrated (mmho/m)	
Channel	Low	High	Low	High	
1	16.3	470.8	9.3	966.2	
2	5.6	376.1	7.6	821.4	
3	2.6	266.1	5.2	566.0	
4	1.6	130.0	2.6	279.2	
Array Temperature		71.1		Deg F	
Channel	Base Check (mmho/m)		Field Check (mmho/m)		
	Low	High	Low	High	
1			16.2	3861.5	
2			31.9	3589.0	
3			29.9	2970.1	
4			20.8	2125.4	
Deep			18.6	1911.7	
Medium			43.0	3859.2	
Shallow			47.5	5369.4	
Array Temperature				92.9	Deg F

Induction Constants MAI-A.A 5				Last Edited on 26-AUG-2014,13:31	
Induction Model	RtAP-WBM				
Caliper for Borehole Corr.	Density Caliper				
Hole Size for Borehole Correction	N/A		inches		
Tool Centred	No				
Stand-off Type	Fins				
Stand-off	0.50		inches		
Number of Fins on Stand-off	8.0000				
Stand-off Fin Angle	45.00		degrees		
Stand-off Fin Width	0.5000		inches		
Borehole Corr. Rm Source	Temperature Corr				
Temp. for Rm Corr.	MCG External Temperature				
Squasher Start	0.0020		mhos/metre		
Squasher Offset	N/A		mhos/metre		
Borehole Normalisation					
DRM1	0.0000	DRC1	0.0000		
DRM2	0.0000	DRC2	0.0000		
MRM1	0.0000	MRC1	0.0000		
MRM2	0.0000	MRC2	0.0000		
SRM1	0.0000	SRC1	0.0000		
SRM2	0.0000	SRC2	0.0000		
Calibration Site Corrections					
Channel 1	0.00		mmhos/metre		
Channel 2	0.00		mmhos/metre		
Channel 3	0.00		mmhos/metre		
Channel 4	0.00		mmhos/metre		
Apparent Porosity and Water Saturation Constants					
Archie Constant (A)	1.00				
Cementation Exponent (M)	2.00				
Saturation Exponent (N)	2.00				
Saturation of Water for Apor	100.00		percent		
Resistivity of Water for Apor and Sw	0.05		ohm-m		
Resistivity of Mud Filtrate for Sw	0.00		ohm-m		
Source for Rt	0.00				
Source for Rxo	0.00				

High Resolution Temperature Calibration MAI-A.A 5				Field Calibration on 21-JAN-2014,15:43	
	Measured	Calibrated(Deg F)			
Lower	50.00	50.00			
Upper	75.00	75.00			

High Resolution Temperature Constants MAI-A.A 5				Last Edited on 27-JUN-2014,14:12	
Pre-filter Length	11				

Micro Normal and Micro Inverse Calibration MMR-A 29				Base Calibration on 13-AUG-2014 16:50	
-----------------------------------------------------	--	--	--	---------------------------------------	--

Base Calibration					
Channel	Resistor 1	Measured		Calibrated (ohm-m)	
		Resistor 2	Resistor 1	Resistor 2	
Micro Normal	10.2	49.8	5.1	25.6	
Micro Inverse	10.0	49.5	3.4	16.9	
Channel		Base Check (ohm-m)		Field Check (ohm-m)	
Micro Normal		93.7		93.7	
Micro Inverse		62.3		62.3	

Micro Normal and Micro Inverse Constants MMR-A 29 Last Edited on 13-AUG-2014,16:47

Pad Type	8-12 in Soft Rubber Inflatable 006-9011-159		
Micro Normal K Factor	0.5110		
Micro Inverse K Factor	0.3380		
Standoff Offset	0.0000	inches	

Caliper Calibration MMR-A 29 Base Calibration on 13-AUG-2014 17:05  
Field Calibration on 25-AUG-2014 14:50

Base Calibration			
Reading No	Measured	Calibrator Size (in)	
1	13833	5.96	
2	17084	7.98	
3	20261	9.85	
4	24276	11.92	
5	0	0.00	
6	N/A	N/A	
Field Calibration			
	Measured Caliper (in)	Actual Caliper (in)	
	7.98	7.97	

Caliper Calibration MPD-D.A 481 Base Calibration on 23-AUG-2014 13:39  
Field Calibration on 25-AUG-2014 14:56

Base Calibration			
Reading No	Measured	Calibrator Size (in)	
1	17257	3.99	
2	27352	5.98	
3	37398	7.97	
4	47224	9.86	
5	58327	11.92	
6	N/A	N/A	
Field Calibration			
	Measured Caliper (in)	Actual Caliper (in)	
	7.93	7.97	

Photo Density Calibration MPD-D.A 481 Base Calibration on 23-AUG-2014 14:06  
Field Check on 25-AUG-2014 14:54

Density Calibration					
Base Calibration		Measured		Calibrated (sdu)	
		Near	Far	Near	Far
Background		1216	1426		
Reference 1		55706	26385	59556	30836
Reference 2		22306	2607	24941	2541
Field Check at Base		1215.9	1425.6		
Field Check		1212.8	1429.7		
PE Calibration					
Base Calibration		Measured		Calibrated	
	WS	WH	Ratio	Ratio	
Background	232	1087			
Reference 1	24125	55503	0.439	0.371	
Reference 2	6847	22166	0.314	0.272	
Field Check at Base		232.2	1087.0		

Density Constants MPD-D.A 481

Last Edited on 28-AUG-2014,03:18

Density Source Id	P50557B	
Nylon Calibrator Number	DNCE695	
Aluminium Calibrator Number	DACD698	
Density Shoe Profile	8 inch	
Caliper Source for Processing	Density Caliper	
PE Correction to Density	Not Applied	
Mud Density	1.11	gm/cc
Mud Density Z/A Multiplier	1.11	
Mud Filtrate Density	1.00	gm/cc
Dry Hole Mud Filtrate Density	1.00	gm/cc
DNCT	0.00	gm/cc
CRCT	0.00	gm/cc
Density Z/A Correction	Hybrid	

Matrix Density (gm/cc)	Depth (ft)
2.71	
0.00	0.00
0.00	0.00
0.00	0.00
0.00	0.00
0.00	0.00
0.00	0.00
0.00	0.00
0.00	0.00

DOWNHOLE EQUIPMENT

C:\Minimus 13.08.2113\Logs\O'Brien Resources Vondracek 4-1\O'Brien Resources Vondracek 4-1 Run 1 Repeat.dta

CBH-C, Cablehead, 11 pin  
 CBH-C 265 LG: 2.40 ft WT: 24.3 lb OD: 2.240 in

Compact Comms Gamma  
 MCG-C 208 LG: 8.70 ft WT: 63.9 lb OD: 2.240 in

Compact Micro-Resistivity  
 MMR-A 29 LG: 8.59 ft WT: 81.6 lb OD: 4.882 in

Compact Neutron  
 MDN-B.J 387 LG: 5.04 ft WT: 50.7 lb OD: 2.244 in

Compact Density/Caliper  
 MPD-D.A 481 LG: 9.59 ft WT: 90.4 lb OD: 2.449 in

Compact Focussed Electric  
 MFE-A.A 55 LG: 6.05 ft WT: 48.5 lb OD: 2.244 in

Compact Sonic  
 MSS-C.K 330 LG: 12.52 ft WT: 72.8 lb OD: 2.240 in



56.02 ft GRGC - Gamma Ray  
 53.11 ft CGXT - MCG External Temperature

45.76 ft MINV - MMR MicroLog Inverse  
 45.76 ft MNRL - MMR MicroLog Normal

40.97 ft NPRL - Limestone Neutron Por.


33.73 ft CLDC - Density Caliper  
 33.73 ft AVOL - Annular Volume  
 33.73 ft HVOL - Hole Volume  
 31.80 ft DPRL - Limestone Density Por.  
 31.80 ft DEN - Compensated Density  
 31.80 ft DCOR - Density Correction  
 31.74 ft PDPE - PE

26.24 ft FEFE - Shallow FE

16.96 ft TR11 - 4' Transit Time  
 16.46 ft TR21 - 3' Transit Time  
 15.95 ft TR12 - 6' Transit Time  
 15.46 ft TR22 - 5' Transit Time  
 12.96 ft DT35 - 3-5' Compensated Sonic

Compact Induction  
 MAI-A.A 5 LG: 10.81 ft WT: 48.5 lb OD: 2.244 in

Total Length: 63.70 ft Weight: 480.6 lb



COMPANY O'BRIEN RESOURCES, LLC.  
 WELL VONDRACEK 4-1  
 FIELD PECHANEC SOUTHWEST  
 PROVINCE/COUNTY RUSH  
 COUNTRY/STATE U.S.A. / KANSAS

Elevation Kelly Bushing	2111.00	feet	First Reading	3832.00	feet
Elevation Drill Floor	2109.00	feet	Depth Driller	3862.00	feet
Elevation Ground Level	2104.00	feet	Depth Logger	3864.00	feet



**Weatherford**<sup>®</sup>

COMPACT PHOTO DENSITY  
 COMPENSATED NEUTRON  
 MICRORESISTIVITY LOG