



Weatherford

**COMPENSATED NEUTRON
SONIC POROSITY
OVERLAY**

COMPANY	O'BRIEN RESOURCES, LLC.		
WELL	VONDRACEK 4-1		
FIELD	PECHANEC SOUTHWEST		
PROVINCE/COUNTY	RUSH		
COUNTRY/STATE	U.S.A. / KANSAS		
LOCATION	2310' FSL & 452' FEL		
SEC 4	TWP 19S	RGE 17W	Other Services
Latitude			
Longitude			
API Number	15-165-22088		
Permanent Datum GL, Elevation	2104 feet		
Log Measured From	KB		
Drilling Measured From	KB @ 7 feet		
Date	28-AUG-2014		
Run Number	ONE		
Service Order	7577-96382198		
Depth Driller	3862.00	feet	Elevations: KB 2111.00
Depth Logger	3864.00	feet	DF 2109.00
First Reading	3861.00	feet	GL 2104.00
Last Reading	3300.00	feet	
Casing Driller	261.00	feet	
Casing Logger	262.00	feet	
Bit Size	7.875	inches	
Hole Fluid Type	CHEMICAL		
Density / Viscosity	9.30 lb/USg	52.00 CP	
PH / Fluid Loss	9.00	11.20 ml/30Min	
Sample Source	MUD PIT		
Rm @ Measured Temp	0.42 @ 81.0	ohm-m	
Rmf @ Measured Temp	0.34 @ 81.0	ohm-m	
Rmc @ Measured Temp	0.50 @ 81.0	ohm-m	
Source Rmf / Rmc	CALC	CALC	
Rm @ BHT	0.31 @ 111.0	ohm-m	
Time Since Circulation	5 HOURS		
Max Recorded Temp	111.00	deg F	
Equipment / Base	13244	LIB	
Recorded By	JEFFREY RANDLE		
Witnessed By	KURT TALBOTT		
JOB #	LB14-254		

BOREHOLE RECORD			Last Edited: 28-AUG-2014 03:00
Bit Size inches	Depth From feet	Depth To feet	
7.875	261.00	3862.00	

CASING RECORD				
Type	Size inches	Depth From feet	Shoe Depth feet	Weight pounds/ft
SURFACE	8.625	0.00	261.00	24.00

REMARKS

- SOFTWARE ISSUE: WLS 13.08.2113.

- RUN ONE: MCG, MML, MDN, MPD, MFE, MSS, MAI RUN IN COMBINATION.

- RUN TWO: MCG, MSS RUN IN COMBINATION.

- HARDWARE: DUAL BOWSPRING USED ON MDN.
0.5 INCH STANDOFF USED ON MFE.
2 X 0.5 INCH STANDOFFS USED ON MSS.
0.5 INCH STANDOFF USED ON MAI.

- 2.71 G/CC LIMESTONE DENSITY MATRIX USED TO CALCULATE POROSITY.

- BOREHOLE RUGOSITY, TIGHT PULLS, AND WASHOUTS WILL AFFECT DATA QUALITY.

- ALL INTERVALS LOGGED AND SCALED PER CUSTOMER'S REQUEST.

- TOTAL HOLE VOLUME FROM TD TO SURFACE CASING: 1604 CU.FT.

- ANNUAL HOLE VOLUME WITH 4.5 INCH PRODUCTION CASING FROM TD TO 3300 FEET: 127 CU.FT.

- RIG: MAVERICK DRILLING RIG #102.


- ENGINEER: J. RANDLE.


- OPERATOR: J. LaPOINT, S. LARES.


*****RUN TWO SONIC DATA WAS SPLICED INTO RUN ONE DATA TO PROVIDE MORE COMPLETE COVERAGE OF ZONE CLOSEST TO TD PER CUSTOMER REQUEST FOR SONIC DATA ON DETAIL AS CLOSE TO TD AS POSSIBLE.*****

In interpreting, communicating or providing information and/or making recommendations, either written or oral, as to logs or test or other data, type or amount of material, or Work or other service to be furnished, or manner of performance, or in predicting results to be obtained, the Contractor will give the Company the benefit of the Contractor's best judgment based on its experience and will perform all such Work in a good and workmanlike manner. Any interpretation of test or other data, and any recommendation or reservoir description based upon such interpretations, are opinions based upon inferences from measurements and empirical relationships and assumptions, which inferences and assumptions are not infallible, and with respect to which professional engineers and analysts may differ. ACCORDINGLY ANY INTERPRETATION OR RECOMMENDATION RESULTING FROM THE SERVICES WILL BE AT THE SOLE RISK OF THE COMPANY, AND THE CONTRACTOR CANNOT AND DOES NOT WARRANT THE ACCURACY, CORRECTNESS OR COMPLETENESS OF ANY SUCH INTERPRETATION OR RECOMMENDATION, WHICH INTERPRETATIONS AND RECOMMENDATIONS SHOULD NOT, THEREFORE, UNDER ANY CIRCUMSTANCES BE RELIED UPON AS THE SOLE OR MAIN BASIS FOR ANY DRILLING, COMPLETION, WELL TREATMENT, PRODUCTION OR FINANCIAL DECISION, OR ANY PROCEDURE INVOLVING ANY RISK TO THE SAFETY OF ANY DRILLING ACTIVITY, DRILLING RIG OR ITS CREW OR ANY OTHER INDIVIDUAL. THE COMPANY HAS FULL RESPONSIBILITY FOR ALL DECISIONS CONCERNING THE SERVICES.

5 INCH MAIN
Depth Based Data - Maximum Sampling Increment 10.0cm
Plotted on 28-AUG-2014 11:07
Filename: C:\Minimus 13.08.2113\Log\O'Brien Re...\O'Brien Resources Vondracek 4-1 Splice Main.dta
Recorded on 28-AUG-2014 10:03
System Versions: Plotted with 13.08.2113









Depth Based Data - Maximum Sampling Increment 10.0cm
 Plotted on 28-AUG-2014 11:07
 Filename: C:\Minimus 13.08.2113\Logs\O'Brien Resources Vondracek 4-1\O'Brien Resources Vondracek 4-1 Splice Main.dta
 Recorded on 28-AUG-2014 10:03
 System Versions: Plotted with 13.08.2113

↑ **5 INCH MAIN** ↑

BEFORE SURVEY CALIBRATION
 C:\Minimus 13.08.2113\Logs\O'Brien Resources Vondracek 4-1\O'Brien Resources Vondracek 4-1 Run 1 Repeat.dta

General Constants All 000 Last Edited on 28-AUG-2014,03:55

General Parameters		
Mud Resistivity	0.420	ohm-metres
Mud Resistivity Temperature	81.000	degrees F
Water Level	0.000	feet
Borehole Fluid Processing	Wet Hole	
Hole/Annular Volume and Differential Caliper Parameters		
HVOL Method	Single Caliper	
HVOL Caliper 1	Density Caliper	
HVOL Caliper 2	N/A	
Annular Volume Diameter	4.500	inches
Caliper for Differential Caliper	Density Caliper	
Rwa Parameters		
Porosity used	Crossplot Porosity	
Resistivity used	Array Ind. One Res Rt	
RWA Constant A	0.610	
RWA Constant M	2.150	
SW/APOR Tool Source	0.000	

Down-hole Tension Calibration SMS 0 Field Calibration on 28-AUG-2014 04:30

Reading No	Measured	Calibrated (lbs)
1	15919.11	0.00
2	16496.06	480.60

SP Calibration MCG-C 208 Field Calibration on 25-AUG-2014 14:59

	Measured	Calibrated (mV)
Reference 1	99.3	98.7
Reference 2	-98.0	-98.9

High Resolution Temperature Calibration MCG-C 208 Field Calibration on 23-JAN-2014,17:11

	Measured	Calibrated(Deg F)
Lower	50.00	50.00
Upper	75.00	75.00

High Resolution Temperature Constants MCG-C 208 Last Edited on 23-JAN-2014,17:11

Pre-filter Length	11
-------------------	----

Gamma Calibration MCG-C 208 Field Calibration on 25-AUG-2014 15:11

	Measured	Calibrated (API)
Background	71	48
Calibrator (Gross)	1142	773
Calibrator (Net)	1071	725

Gamma Constants MCG-C 208 Last Edited on 28-AUG-2014,03:18

Gamma Calibrator Number	GRC038
-------------------------	--------

Mud Density	1.11	gm/cc
Caliper Source for Processing	Density Caliper	
Tool Position	Eccentred	
Concentration of KCl		kppm
K Mud Type	Chloride	
K Mud Concentration	0.00	%

Neutron Calibration MDN-B.J 387		Base Calibration on 31-JUL-2014 11:36	
		Field Check on 25-AUG-2014 15:18	
Base Calibration			
	Measured	Calibrated (cps)	
	Near Far	Near	Far
	2985 92	3714	110
Ratio	32.470	33.764	
Field Calibrator at Base			
		Calibrated (cps)	
		1675	2460
Ratio		0.681	
Field Check			
		Calibrated (cps)	
		1690	2481
Ratio		0.689	

Neutron Constants MDN-B.J 387		Last Edited on 25-AUG-2014,15:11	
Neutron Source Id	P58125B		
Neutron Jig Number	5824NE		
Epithermal Neutron			
Caliper Source for Processing	Density Caliper		
Stand-off	0.00	inches	
Mud Density	1.00	gm/cc	
Limestone Sigma	7.10	cu	
Sandstone Sigma	4.26	cu	
Dolomite Sigma	4.70	cu	
Formation Pressure Source	None		
Formation Pressure	0.00	kpsi	
Temperature Source	Constant Value		
Temperature	68.00	degrees F	
Mud Salinity	0.00	kppm	
Salinity Correction	Not Applied		
Formation Fluid Salinity Source	None		
Formation Fluid Salinity	0.00	kppm	
Barite Mud Correction	Not Applied		

FE Calibration MFE-A.A 55		Base Calibration on 30-JUL-2014 09:41	
		Field Check on 25-AUG-2014 14:47	
Base Calibration			
	Measured	Calibrated (ohm-m)	
Reference 1	0.0	0.0	
Reference 2	951.6	126.8	
Base Check		281.4	
Field Check		281.4	

FE Constants MFE-A.A 55		Last Edited on 26-AUG-2014,13:31	
Running Mode	No Sleeve		
MFE K Factor	0.1268		
Caliper Source for FE correction	Density Caliper		
Caliper Value for FE correction	N/A	inches	
Rm Source for FE correction	Temperature Corr		
Temp. for Rm Corr.	MCG External Temperature		
Stand-off	0.5	inches	

Sonic Constants MSS-C.K 330		Last Edited on 28-AUG-2014,03:18	
Maximum Boundary Contrast	100.00	micro-sec/ft	
Fluid Transit Time	189.00	micro-sec/ft	
Limestone Transit Time	47.50	micro-sec/ft	
Sandstone Transit Time	55.50	micro-sec/ft	
Dolomite Transit Time	43.50	micro-sec/ft	

Sonic used for Porosities	3-5' Compensated	
Correction for Sonde Skew	Applied	
Cycle Stretch Algorithm	Applied	
MN3FT	0.00	micro-sec
MX3FT	1500.00	micro-sec
Hunt-Raymer Constant	83.13	micro-sec/ft

Sonde Mode	Compensated
Hole Type	Open Hole

Sonde Parameters

	Measured	Calibrated
Offset	0.0000	0.0000
Free Pipe	0.0000	

Peak Amplitude Source

Waveform	Start Time (micro-sec)	Width (micro-sec)	Pre Gain	Start Gain	Discriminator (mV)
3'	N/A	N/A	N/A	N/A	N/A
4'	N/A	N/A	N/A	N/A	N/A
5'	N/A	N/A	N/A	N/A	N/A
6'	N/A	N/A	N/A	N/A	N/A

Processed Fixed Gate Parameters

Waveform Used For Processing	N/A			
Start Time (micro-sec)	End Time (micro-sec)	Discriminator (mV)	Depth (ft)	
0.00	0.00	0.00	0.00	
0.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00	0.00	0.00

Full Waveform Parameters

Use 3' Waveform to derive TR	No
Use 4' Waveform to derive TR	No
Use 5' Waveform to derive TR	No
Use 6' Waveform to derive TR	No
3' Waveform Discriminator Level	0.30 mV
4' Waveform Discriminator Level	0.30 mV
5' Waveform Discriminator Level	0.15 mV
6' Waveform Discriminator Level	0.15 mV
3' Waveform Filter	
4' Waveform Filter	
5' Waveform Filter	
6' Waveform Filter	

Semblance Level	0.50
Semblance Window Width	120.00 micro-sec
Sonic 1 Despiker	100.00 micro-sec/ft
Sonic 2 Despiker	100.00 micro-sec/ft

Induction Calibration MAI-A.A 5

Base Calibration on 21-JAN-2014,09:50
Field Check on 25-AUG-2014 14:46

Base Calibration

Test Loop Calibration	Measured		Calibrated (mmho/m)	
	Low	High	Low	High
Channel 1	16.3	470.8	9.3	966.2
Channel 2	5.6	376.1	7.6	821.4
Channel 3	2.6	266.1	5.2	566.0
Channel 4	1.6	130.0	2.6	279.2

Array Temperature 71.1 Deg F

Channel	Base Check (mmho/m)		Field Check (mmho/m)	
	Low	High	Low	High
1			16.2	3861.5
2			31.9	3589.0
3			29.9	2970.1
4			20.8	2125.4
Deep			18.6	1911.7

Medium 43.0 3859.2
 Shallow 47.5 5369.4
 Array Temperature 92.9 Deg F

Induction Constants MAI-A.A 5 Last Edited on 26-AUG-2014,13:31

Induction Model RtAP-WBM
 Caliper for Borehole Corr. Density Caliper
 Hole Size for Borehole Correction N/A inches
 Tool Centred No
 Stand-off Type Fins
 Stand-off 0.50 inches
 Number of Fins on Stand-off 8.0000
 Stand-off Fin Angle 45.00 degrees
 Stand-off Fin Width 0.5000 inches
 Borehole Corr. Rm Source Temperature Corr
 Temp. for Rm Corr. MCG External Temperature
 Squasher Start 0.0020 mhos/metre
 Squasher Offset N/A mhos/metre

Borehole Normalisation

DRM1	0.0000	DRC1	0.0000
DRM2	0.0000	DRC2	0.0000
MRM1	0.0000	MRC1	0.0000
MRM2	0.0000	MRC2	0.0000
SRM1	0.0000	SRC1	0.0000
SRM2	0.0000	SRC2	0.0000

Calibration Site Corrections

Channel 1	0.00	mmhos/metre
Channel 2	0.00	mmhos/metre
Channel 3	0.00	mmhos/metre
Channel 4	0.00	mmhos/metre

Apparent Porosity and Water Saturation Constants

Archie Constant (A)	1.00	
Cementation Exponent (M)	2.00	
Saturation Exponent (N)	2.00	
Saturation of Water for Apor	100.00	percent
Resistivity of Water for Apor and Sw	0.05	ohm-m
Resistivity of Mud Filtrate for Sw	0.00	ohm-m
Source for Rt	0.00	
Source for Rxo	0.00	

High Resolution Temperature Calibration MAI-A.A 5 Field Calibration on 21-JAN-2014,15:43

	Measured	Calibrated(Deg F)
Lower	50.00	50.00
Upper	75.00	75.00

High Resolution Temperature Constants MAI-A.A 5 Last Edited on 27-JUN-2014,14:12

Pre-filter Length 11

Micro Normal and Micro Inverse Calibration MMR-A 29 Base Calibration on 13-AUG-2014 16:50
Field Check on 25-AUG-2014 14:48

Base Calibration

Channel	Measured		Calibrated (ohm-m)	
	Resistor 1	Resistor 2	Resistor 1	Resistor 2
Micro Normal	10.2	49.8	5.1	25.6
Micro Inverse	10.0	49.5	3.4	16.9

Channel	Base Check (ohm-m)	Field Check (ohm-m)
Micro Normal	93.7	93.7
Micro Inverse	62.3	62.3

Micro Normal and Micro Inverse Constants MMR-A 29 Last Edited on 13-AUG-2014,16:47

Pad Type 8-12 in Soft Rubber Inflatable 006-9011-159
 Micro Normal K Factor 0.5110
 Micro Inverse K Factor 0.3380
 Standoff Offset 0.0000 inches

Caliper Calibration MMR-A 29

Base Calibration on 13-AUG-2014 17:05
Field Calibration on 25-AUG-2014 14:50

Base Calibration

Reading No	Measured	Calibrator Size (in)
1	13833	5.96
2	17084	7.98
3	20261	9.85
4	24276	11.92
5	0	0.00
6	N/A	N/A

Field Calibration

Measured Caliper (in)	Actual Caliper (in)
7.98	7.97

Caliper Calibration MPD-D.A 481

Base Calibration on 23-AUG-2014 13:39
Field Calibration on 25-AUG-2014 14:56

Base Calibration

Reading No	Measured	Calibrator Size (in)
1	17257	3.99
2	27352	5.98
3	37398	7.97
4	47224	9.86
5	58327	11.92
6	N/A	N/A

Field Calibration

Measured Caliper (in)	Actual Caliper (in)
7.93	7.97

Photo Density Calibration MPD-D.A 481

Base Calibration on 23-AUG-2014 14:06
Field Check on 25-AUG-2014 14:54

Density Calibration

Base Calibration	Measured		Calibrated (sdu)	
	Near	Far	Near	Far
Background	1216	1426		
Reference 1	55706	26385	59556	30836
Reference 2	22306	2607	24941	2541

Field Check at Base

1215.9	1425.6
--------	--------

Field Check

1212.8	1429.7
--------	--------

PE Calibration

Base Calibration	Measured			Calibrated
	WS	WH	Ratio	Ratio
Background	232	1087		
Reference 1	24125	55503	0.439	0.371
Reference 2	6847	22166	0.314	0.272

Field Check at Base

232.2	1087.0
-------	--------

Field Check

230.5	1085.2
-------	--------

Density Constants MPD-D.A 481

Last Edited on 28-AUG-2014,03:18

Density Source Id	P50557B	
Nylon Calibrator Number	DNCE695	
Aluminium Calibrator Number	DACD698	
Density Shoe Profile	8 inch	
Caliper Source for Processing	Density Caliper	
PE Correction to Density	Not Applied	
Mud Density	1.11	gm/cc
Mud Density Z/A Multiplier	1.11	
Mud Filtrate Density	1.00	gm/cc
Dry Hole Mud Filtrate Density	1.00	gm/cc
DNCT	0.00	gm/cc

DNCT	0.00	gm/cc
CRCT	0.00	gm/cc
Density Z/A Correction	Hybrid	
Matrix Density (gm/cc)	Depth (ft)	
2.71	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	

DOWNHOLE EQUIPMENT

C:\Minimus 13.08.2113\Logs\O'Brien Resources Vondracek 4-1\O'Brien Resources Vondracek 4-1 Run 1 Repeat.dta

CBH-C, Cablehead, 11 pin
 CBH-C 265 LG: 2.40 ft WT: 24.3 lb OD: 2.240 in

Compact Comms Gamma
 MCG-C 208 LG: 8.70 ft WT: 63.9 lb OD: 2.240 in

Compact Micro-Resistivity
 MMR-A 29 LG: 8.59 ft WT: 81.6 lb OD: 4.882 in

Compact Neutron
 MDN-B.J 387 LG: 5.04 ft WT: 50.7 lb OD: 2.244 in


Compact Density/Caliper
 MPD-D.A 481 LG: 9.59 ft WT: 90.4 lb OD: 2.449 in

Compact Focussed Electric
 MFE-A.A 55 LG: 6.05 ft WT: 48.5 lb OD: 2.244 in

Compact Sonic
 MSS-C.K 330 LG: 12.52 ft WT: 72.8 lb OD: 2.240 in

Compact Induction
 MAI-A.A 5 LG: 10.81 ft WT: 48.5 lb OD: 2.244 in

Total Length: 63.70 ft Weight: 480.6 lb



WELL VONDRACEK 4-1
FIELD PECHANEC SOUTHWEST
PROVINCE/COUNTY RUSH
COUNTRY/STATE U.S.A. / KANSAS

Elevation Kelly Bushing	2111.00	feet	First Reading	3861.00	feet
Elevation Drill Floor	2109.00	feet	Depth Driller	3862.00	feet
Elevation Ground Level	2104.00	feet	Depth Logger	3864.00	feet



Weatherford[®]

COMPENSATED NEUTRON
SONIC POROSITY
OVERLAY