

SONIC LOG

Company	INFINITY OIL, INC.		
Well	4H FOUNDATION #1		
Field	WILDCAT		
County	GOVE	State	KANSAS
Location:	AP1 # : 15-063-22297-0000		Other Services CDL/CNL DIL/MEL
Permanent Datum	GROUND LEVEL	Elevation	2763
Log Measured From	KELLY BUSHING 8' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Date	10/28/16		
Run Number	TWO		
Depth Driller	4482		
Depth Logger	4484		
Bottom Logged Interval	4476		
Top Log Interval	200		
Casing Driller	8 5/8"@260'		
Casing Logger	260		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 9,500 PPM	
Density / Viscosity	9.2/46		
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.600@80F		
Rmf @ Meas. Temp	.450@80F		
Rmc @ Meas. Temp	.720@80F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.400@120F		
Time Circulation Stopped	10 HOURS		
Time Logger on Bottom	3:00 A.M.		
Maximum Recorded Temperature	120F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEITH REAVIS		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
OAKLEY, KS., 20S. ON HWY 83 TO "JAYHAWK RD.", 2E. TO "RD. 10", 1/2N., E. INTO




MAIN SECTION

Database File: 31336ddn.db
Dataset Pathname: pass6.4
Presentation Format: slt
Dataset Creation: Fri Oct 28 07:24:59 2016 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
-----			-----					
0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				








400



450



500


550













1300

1350

1400

1450







1500



1550


1600

1650










2150



2200


2250

2300

2350










2600


2650

2700

2750









3050


3100

3150

3200









3500

3550

3600

3650








3700


3750

3800

3850










4150

4200

4250

4300





REPEAT SECTION

Database File: 31336ddn.db
 Dataset Pathname: pass5.8
 Presentation Format: slt
 Dataset Creation: Fri Oct 28 07:31:21 2016
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

