

COMPENSATED DENSITY / NEUTRON LOG

Company	INFINITY OIL, INC.		
Well	4H FOUNDATION #1		
Field	WILDCAT		
County	GOVE		
State	KANSAS		
Company	INFINITY OIL, INC.		
Well	4H FOUNDATION #1		
Field	WILDCAT		
County	GOVE		
State	KANSAS		
Location:	API # : 15-063-22297-0000		
Permanent Datum	GROUND LEVEL	Elevation	2763
Log Measured From	KELLY BUSHING	8' A.G.L.	
Drilling Measured From	KELLY BUSHING		
Date	10/28/16		
Run Number	ONE		
Depth Driller	4482		
Depth Logger	4484		
Bottom Logged Interval	4460		
Top Log Interval	3500		
Casing Driller	8 5/8"@260'		
Casing Logger	260		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 9,500 PPM	
Density / Viscosity	9.2/46		
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.600@80F		
Rmf @ Meas. Temp	.450@80F		
Rmc @ Meas. Temp	.720@80F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.400@120F		
Time Circulation Stopped	8 HOURS		
Time Logger on Bottom	3:00 A.M.		
Maximum Recorded Temperature	120F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEITH REAVIS		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
OAKLEY, KS., 20S. ON HWY 83 TO "JAYHAWK RD.", 2E. TO "RD. 10", 1/2N., E. INTO




MAIN SECTION

Database File: 31336ddn.db
Dataset Pathname: pass3.6
Presentation Format: den_neu
Dataset Creation: Fri Oct 28 04:38:15 2016
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3)	0 30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV		-0.25 CORRECTION (g/cc)	0.25
			0 (ft3)	10		







3700

3750

3800

3850






3900


3950

4000

4050

4100








4150

4200

4250


4300





REPEAT SECTION

Charted by:			Depth in Feet scaled 1.240			
0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	-0.25 CORRECTION (g/cc) 0.25		
			0 (ft3) 10			



Window 3	1413.4	6466.1	2463.2	6828.7	cps
Window 4	399.5	407.1	405.1	406.5	cps
Long Space	0.0	7946.7	1678.1	8692.6	cps
Short Space	2.2	3366.2	2134.1	3410.2	cps
Rho		1.7100	2.5900	1.3800	g/cc
Pe		0.0000	2.5700	1.5500	
Rib Angle	: 43.7	Rib Slope	: 0.954	Density/Spine Ratio	: 0.543
Spine Angle	: 73.7	Spine Slope	: 3.412	Spine Intercept	: -18.7

Before Survey Verification		Performed Wed Dec 31 18:00:00 1969			
Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	

After Survey Verification		Performed Wed Dec 31 18:00:00 1969			
Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	

--	--	--	--	--	--

Compensated Neutron Calibration Report

Serial Number:	070808
Tool Model:	Probe

PRE-SURVEY VERIFICATION			
Detector	Readings	Measured	Target
Short Space	cps		
Long Space	cps	pu	pu

POST-SURVEY VERIFICATION			
Detector	Readings	Measured	Target
Short Space	cps		
Long Space	cps	pu	pu

Gamma Ray Calibration Report

Serial Number:	070558	
Tool Model:	OPEN_GR	
Performed:	Mon Aug 22 01:00:15 2016	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps

Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2800	GAPI/cps