



# MICRO LOG

|                              |                                                                         |                     |      |
|------------------------------|-------------------------------------------------------------------------|---------------------|------|
| Company                      | INFINITY OIL, INC.                                                      |                     |      |
| Well                         | 4H FOUNDATION #1                                                        |                     |      |
| Field                        | WILDCAT                                                                 |                     |      |
| County                       | GOVE                                                                    |                     |      |
| State                        | KANSAS                                                                  |                     |      |
| Company                      | INFINITY OIL, INC.                                                      |                     |      |
| Well                         | 4H FOUNDATION #1                                                        |                     |      |
| Field                        | WILDCAT                                                                 |                     |      |
| County                       | GOVE                                                                    |                     |      |
| State                        | KANSAS                                                                  |                     |      |
| Location:                    | API # : 15-063-22297-0000<br>2045' FNL & 1670' FWL<br>NE - SW - SE - NW |                     |      |
| Permanent Datum              | GROUND LEVEL                                                            | Elevation           | 2763 |
| Log Measured From            | KELLY BUSHING                                                           | 8' A.G.L.           |      |
| Drilling Measured From       | KELLY BUSHING                                                           |                     |      |
| SEC 18                       | TWP 14S                                                                 | RGE 31W             |      |
| Date                         | 10/28/16                                                                |                     |      |
| Run Number                   | TWO                                                                     |                     |      |
| Depth Driller                | 4482                                                                    |                     |      |
| Depth Logger                 | 4484                                                                    |                     |      |
| Bottom Logged Interval       | 4468                                                                    |                     |      |
| Top Log Interval             | 3500                                                                    |                     |      |
| Casing Driller               | 8 5/8"@260'                                                             |                     |      |
| Casing Logger                | 260                                                                     |                     |      |
| Bit Size                     | 7 7/8"                                                                  |                     |      |
| Type Fluid in Hole           | CHEMICAL MUD                                                            | CHLORIDES 9,500 PPM |      |
| Density / Viscosity          | 9.2/46                                                                  |                     |      |
| pH / Fluid Loss              | 10.0/8.8                                                                |                     |      |
| Source of Sample             | FLOWLINE                                                                |                     |      |
| Rim @ Meas. Temp             | .600@80F                                                                |                     |      |
| Rmf @ Meas. Temp             | .450@80F                                                                |                     |      |
| Rmc @ Meas. Temp             | .720@80F                                                                |                     |      |
| Source of Rmf / Rmc          | MEASUREMENT                                                             |                     |      |
| Rim @ BHT                    | .400@120F                                                               |                     |      |
| Time Circulation Stopped     | 10 HOURS                                                                |                     |      |
| Time Logger on Bottom        | 3:00 A.M.                                                               |                     |      |
| Maximum Recorded Temperature | 120F                                                                    |                     |      |
| Equipment Number             | 922339                                                                  |                     |      |
| Location                     | HAYS, KANSAS                                                            |                     |      |
| Recorded By                  | JEFF LUEBBERS                                                           |                     |      |
| Witnessed By                 | KEITH REAVIS                                                            |                     |      |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

## Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395  
DIRECTIONS  
OAKLEY, KS., 20S. ON HWY 83 TO "JAYHAWK RD.", 2E. TO "RD. 10", 1/2N., E. INTO




# MAIN SECTION

Database File: 31336ddn.db  
Dataset Pathname: pass6.4  
Presentation Format: micro  
Dataset Creation: Fri Oct 28 07:24:59 2016 by Calc SOC 120430  
Charted by: Depth in Feet scaled 1:240

|   |                  |     |          |     |                |    |
|---|------------------|-----|----------|-----|----------------|----|
| 0 | GAMMA RAY (GAPI) | 150 | ABHV     | 0   | MEL1.5 (Ohm-m) | 20 |
| 6 | CALIPER (in)     | 16  | 10 (ft3) | 0 0 | MEL 20 (Ohm-m) | 20 |
| 0 | MINMK            | 20  | TBHV     |     |                |    |
|   |                  |     | 0 (ft3)  | 10  |                |    |







3700

3750

3800

3850






3900


3950

4000

4050

4100







4150

4200

4250

4300






# REPEAT SECTION

Database File: 31336ddn.db  
Dataset Pathname: pass5.8  
Presentation Format: micro  
Dataset Creation: Fri Oct 28 07:31:21 2016  
Charted by: Depth in Feet scaled 1:240

|   |                  |     |          |    |                |    |
|---|------------------|-----|----------|----|----------------|----|
| 0 | GAMMA RAY (GAPI) | 150 | ABHV     | 0  | MEL1.5 (Ohm-m) | 20 |
| 6 | CALIPER (in)     | 16  | 10 (ft3) | 0  | MEL 20 (Ohm-m) | 20 |
| 0 | MINMK            | 20  | TBHV     |    |                |    |
|   |                  |     | 0 (ft3)  | 10 |                |    |



[illegible]