



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**SONIC
LOG**

Company		VINCENT OIL CORP.	
Well		SANDYLAND #2-27	
Field		FORD	
County		KANSAS	
State		KANSAS	
Company		VINCENT OIL CORPORATION	
Well		SANDYLAND #2-27	
Field		FORD	
County		KANSAS	
State		KANSAS	
Location:		API # : 15-057-20941-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		KELLY BUSHING 10' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 27 TWP 28S RGE 23W		Elevation	
395' FSL & 90' FWL		CDL/CNL/PE	
		DIL/MEL	
Date		9/29/14	
Run Number		TWO	
Depth Driller		5360	
Depth Logger		5360	
Bottom Logged Interval		5350	
Top Log Interval		600	
Casing Driller		8 5/8" @ 648'	
Casing Logger		646'	
Bit Size		7 7/8"	
Type Fluid in Hole		CHEMICAL MUD	
Density / Viscosity		9.1/70	
pH / Fluid Loss		10.0/10.8	
Source of Sample		FLOWLINE	
Rim @ Meas. Temp		0.40 @ 80F	
Rinf @ Meas. Temp		0.30 @ 80F	
Rinc @ Meas. Temp		0.48 @ 80F	
Source of Rinf / Rinc		MEASUREMENT	
Rim @ BHT		0.25 @ 128F	
Time Circulation Stopped		2 HOURS	
Time Logger on Bottom			
Maximum Recorded Temperature		128F	
Equipment Number		4854	
Location		HAYS, KANSAS	
Recorded By		JEFF GRONEMEG	
Witnessed By		KENLEBLANC	

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS
FORD, KS - SOUTH ON BLACKTOP TO WILBURN RD - 4 MILES WEST TO RD 121
NORTH 1 MILE - EAST INTO

Database File: 25887pe.db
Dataset Pathname: pass6.2
Presentation Format: _slt
Dataset Creation: Mon Sep 29 06:45:09 2014 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

Charted by: _____		Depth in feet (not scaled 1:2 is)					
0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
-----						-----	
0	MINMK	20	TBHV	0	ITT (msec)	20	
		0 (ft3)		10			








800


850

900

950









1250

1300

1350

1400






1450


1500

1550

1600

1650







1700


1750

1800

1850








2100


2150



2200


2250

2300











2800

2850

2900

2950








3000


3050

3100

3150









3450

3500

3550

3600






3650


3700

3750

3800

3850







3900

3950

4000

4050







4100

4150

4200

4250






4300


4350

4400

4450

4500







4550

4600

4650

4700






4750


4800

4850

4900

4950







5000

5050

5100

5150





REPEAT SECTION

Database File: 25887pe.db
 Dataset Pathname: pass5.1
 Presentation Format: _slt
 Dataset Creation: Mon Sep 29 04:44:10 2014 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		

