



Pioneer Energy Services

Dual Compensated Porosity Log

APL No.

15-009-26031-00-00

Company **CG Oil, Inc.**

Well JMR #3

Field Trapp

County Barton State Kansas

Location

Sec: 28	Twp: 16S	Rge: 13W
---------	----------	----------

Sec: 28 Tv

Twp: 16S

Page: 13

Elevation

	Elevation 1978
Ground Level	9 Ft. Above Perm. Datum
Ground Bushing	

K.B. 1987
D.F.

From Kelly Bushing

	10/24/2014
--	------------

	One
--	-----

	CNL / CDL
--	-----------

	3500
--	------

	3501
--	------

Interval	3472
----------	------

Interval	2800
----------	------

Chemical	
----------	--

8000	
------	--

7	5
=	3

Full	
Full	

0.1	0.1
0.2	0.2
0.3	0.3
0.4	0.4
0.5	0.5
0.6	0.6
0.7	0.7
0.8	0.8
0.9	0.9
1.0	1.0

Time	3 Hours
Questions	01

Occasion	91	He
----------	----	----

D. Schmidtb	
-------------	--

Roll 20111416	Parabola Doodr
---------------	----------------

From	To
Solentide Record	

110111	10
00	1016

00	1010
1016	TD

1010	1D
------	----

[illegible][illegible]


--	--




--	--


Database File: cg_jmr_3hd.db
Dataset Pathname: dil/cgstkml
Presentation Format: cdl
Dataset Creation: Fri Oct 24 18:03:45 2014
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
	-0.25	Correction	0.25
			LSPD











6 Caliper (GAPI) 16

30	Compensated Density (2.71 ma)	-10
10000	Line Tension	0
	-0.25 Correction 0.25	
		LSPD