



PIONEER

Pioneer Energy Services

Dual Compensated Porosity Log

API No.

15-193-20,946-00-00

Company Brito Oil Company, Inc.

Well Studer No. 1-9

Field

County Thomas

State Kansas

Location 1,900' FNL & 1,600' FEL

Sec: 9

Twp: 6S

Rge: 35W

Other Services
DIL
MEL/BHCS

Permanent Datum Ground Level Elevation 3300

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

K.B. 3305
D.F.
G.L. 3300

Date 1/18/2015

Run Number One

Type Log CNL / CDL

Depth Driller 4840

Depth Logger 4844

Bottom Logged Interval 4823

Top Logged Interval 3700

Type Fluid In Hole Chemical

Salinity, PPM CL 5400

Density 9.4

Level Full

Max. Rec. Temp. F 124

Operating Rig Time 4 1/2 Hours

Equipment -- Location 108 Hays

Recorded By J. Long

Witnessed By Ken Wallace

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

23#

From

To

00

344

TD

7.875

344

TD

7.875

344

TD

7.875

344

TD

7.875

344

TD

7.875

344

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Levant, 11 North from Railroad Tracks, 1 West, 1 North, 1/4 West, South Into

Database File: brito_studer_1-9hd.db
Dataset Pathname: dil/britstck
Presentation Format: cdl
Dataset Creation: Sun Jan 18 20:56:38 2015
Charted by: Depth in Feet scaled 1:600

Gamma Ray	150
Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			















