



PIONEER

Pioneer Energy Services

Borehole Compensated Sonic Log

API No.

15-203-20,299-00-00

Company SDOCO, LLC.

Well Carman Trust No.16-11

Field

County Wichita

State Kansas

Location

651' FSL & 371' FEL

Other Services
CNL/CDL
MEL/DIL

Sec: 11

Twp: 19S

Rge: 36W

Elevation

Permanent Datum

Ground Level

Elevation 3215

Log Measured From

Kelly Bushing

11 Ft. Above Perm. Datum

Drilling Measured From

Kelly Bushing

K.B. 3226
D.F. 3215
G.L. 3215

Date

12/31/2014

Run Number

Two

Type Log

BHC Sonic

Depth Driller

4965

Depth Logger

4960

Bottom Logged Interval

4949

Top Logged Interval

350

Type Fluid In Hole

Chemical

Salinity, PPM CL

9,000

Density

9.4

Level

Full

Max. Rec. Temp. F

126

Operating Rig Time

5 Hours

Equipment -- Location

51 Hays

Recorded By

C. Desaire

Witnessed By

Kurt Talbott

Witnessed By

Kurt Talbott

Casing Record

To

Run No

Bit

From

To

Size

Wgt.

23#

From

To

00

373

TD

8.625

00

373

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Marienthal KS, 5 S on 20 Rd,
2 W, N Into

Database File: sdohd.db
Dataset Pathname: dil/sdostk
Presentation Format: sonic
Dataset Creation: Wed Dec 31 10:35:29 2014
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16		15000	LTEN (lb)	0
						LSPD











































