

LOG-TECH

of Kansas
Inc.

GREAT BEND, KANSAS

CEMENT BOND LOG

Company KAHAN & ASSOCIATES, INC

Well R. OESER #1
Field KRAFT-PRUSA
County BARTON
State KANSASCompany KAHAN & ASSOCIATES, INC
Well R. OESER #1
Field KRAFT-PRUSA
County BARTON State KANSAS

Location

660' FNL & 990' FWL
W/2-SE-SE

Other Services

SEC. 29

TWP. 16S

RGE. 11W

GROUND LEVEL

Elevation

K.B. 1916
D.F.
G.L. 1909Permanent Datum
Log Measured From
Drilling Measured FromGROUND LEVEL
KELLY BUSHING 7' AGL
KELLY BUSHING

Date

02-10-2015

Run Number

ONE

Depth Driller

3365

Depth Logger

3337

Bottom Logged Interval

3336

Top Log Interval

2150

Open Hole Size

WATER

Type Fluid

WATER

Density / Viscosity

Max. Recorded Temp.

Estimated Cement Top

2356

Time Well Ready

Time Logger on Bottom

Equipment Number

52

Location

GREAT BEND

Recorded By

LEE BRETZ

Witnessed By

MR. DAVID WILSON

Run Number

Bit

From

To

Size

Weight

From

To

Permanent Datum
Log Measured From
Drilling Measured FromK.B. 1916
D.F.
G.L. 1909

Date

02-10-2015

Run Number

ONE

Depth Driller

3365

Depth Logger

3337

Bottom Logged Interval

3336

Top Log Interval

2150

Open Hole Size

WATER

Type Fluid

WATER

Density / Viscosity

Max. Recorded Temp.

Estimated Cement Top

2356

Time Well Ready

Time Logger on Bottom

Equipment Number

52

Location

GREAT BEND

Recorded By

LEE BRETZ

Witnessed By

MR. DAVID WILSON

Run Number

Bit

From

To

Size

Weight

From

To

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING LOG TECH OF KANSAS!
(620)792-2167

DIRECTIONS
CLAFLIN, KS
NORTH 7 MILES FROM HWY 4 TO NE 180 RD
1 1/4 WEST NORTH INTO

CORRECTED -3.5' TO OPENHOLE LOG

LOG-TECH

of Kansas
Inc.

GREAT BEND, KANSAS


MAIN PASS

Database File: roeser1.db
Dataset Pathname: pass3
Presentation Format: cbl02
Dataset Creation: Tue Feb 10 08:37:12 2015 by Log 7.0 B1
Charted by: Depth in Feet scaled 1:240

9	Collar Locator	-1
0	Gamma Ray (GAPI)	150
320	TT3 (usec)	120
0	LTEN (lb)	2000

0	Amplitude (mV)	100
0	X5 Amplitude (mV)	20

200 VARIABLE DENSITY 1200






2150

2200

2250

2300





2350

2400

2450

2500

LTEN →

Gamma Ray


CCL


Top of Cement


← X5 Amplitude

← 3' Amplitude

VARIABLE DENSITY →











2800


2850

2900

2950








LOG-TECH

of Kansas
Inc.

GREAT BEND, KANSAS

REPEAT SECTION

Database File: roeser1.db
 Dataset Pathname: pass2
 Presentation Format: cbl02
 Dataset Creation: Tue Feb 10 08:30:01 2015 by Log 7.0 B1
 Charted by: Depth in Feet scaled 1:240



0	Gamma Ray (GAR 1)	150
320	TT3 (usec)	120
0	LTEN (lb)	2000

0	X3 Amplitude (mV)	20
---	-------------------	----






3150

3200

3250

3300





Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			STNDRD Standard Cable Head	1.00	1.69	10.00
WVF3	8.76		CBL-probecbl (probecbl1) probe cbl	8.75	2.75	92.00
WVF5	7.76					
CCL	3.69		CCL-probe (cclpr) probe ccl	1.55	2.75	30.00

GR	0.90		GR-probegr (progr1) probe gamma ray	3.02	2.75	20.00
Dataset: roeser1.db: field/well/run1/pass3 Total Length: 14.32 ft Total Weight: 152.00 lb O.D. 2.75 in						