



SECTOR
BOND
LOG

Company American Oil LLC
Well Turner #6
Field Gra-Rooks
County Rooks State KS

Location: API #: 15 163 24326
330' FNL & 3059' FEL
SEC 19 TWP 9S RGE 20W
Permanent Datum Ground Level Elevation 2239'
Log Measured From KB 8' AGL
Drilling Measured From KB
Other Services
Elevation
K.B. 2247'
D.F. 2246'
G.L. 2239'

Company American Oil LLC
Well Turner #6
Field Gra-Rooks
County Rooks
State KS

Date	12-23-16
Run Number	One
Depth Driller	3858'
Depth Logger	3833'
Bottom Logged Interval	3832'
Top Log Interval	2500'
Open Hole Size	7 7/8"
Type Fluid	Water
Density / Viscosity	///
Max. Recorded Temp.	///
Estimated Cement Top	2656'
Time Well Ready	10:00 A.M
Time Logger on Bottom	10:10 A.M
Equipment Number	T-968
Location	Hays, KS
Recorded By	Casey Patterson
Witnessed By	Mr. Zach Patterson

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wd/Ft	Top	Bottom
Surface String	8 5/8"	26#	0'	222'
Prot. String				
Production String	5 1/2"	15.5#	0'	3855'
Liner				

<<<< Fold Here >>>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



DV Tool



Database File aoturner#6cbl.db
Dataset Pathname pass3
Presentation Format sectorco
Dataset Creation Fri Dec 23 10:40:15 2016
Charted by Depth in Feet scaled 1:240







Main Pass

Database File aoturner#6cbl.db
Dataset Pathname pass2.1
Presentation Format sectorco
Dataset Creation Fri Dec 23 10:34:44 2016
Charted by Depth in Feet scaled 1:240









2800


2850


2900

2950

3000









3300


3350

3400

3450

3500








3550


3600

3650

3700



3750






Repeat Section

Database File aoturner#6cbl.db
 Dataset Pathname pass1
 Presentation Format sectorco
 Dataset Creation Fri Dec 23 09:56:29 2016
 Charted by Depth in Feet scaled 1:240





Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CENT-275 2 3/4" Centralizer	2.94	2.75	10.00
WVFS8	11.63					
WVFS7	11.63					
WVFS6	11.63					
WVFS5	11.63					
WVFS4	11.63		RBT-Probe (080321) Prototype Probe Radii Bond Tool with Digital Telemetry	8.33	2.75	90.00
WVFS3	11.63					
WVFS2	11.63					
WVFS1	11.63					
WVFCAL	11.63					
WVF3FT	11.63					
WVF5FT	10.63		CENT-275 2 3/4" Centralizer	2.94	2.75	10.00
CCL	3.50					
ACCZ	1.83					
ACCY	1.83					
ACCX	1.83		GR-275D_INC (080616) 2-3/4" GR-CCL with Inclination	4.50	2.75	
GR	0.83					

	Raw (v)	Calibrated (v)	Results
	<u>Zero</u>	<u>Zero</u>	<u>Offset</u>
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000