



PIONEER

Pioneer Energy Services

Microresistivity Log

15-163-24293-00-00

Company VENTURE RESOURCES, INC.

Well HAHN #6

Field BEMIS-SHUTTS

County ROOKS State

KANSAS

Location

W/2 NW SW SE
990' FSL & 2315' FEL

Sec: 31

Twp: 10S

Rge: 17W

Elevation

Permanent Datum GROUND LEVEL Elevation 2078
Log Measured From KELLY BUSHING 7 Ft. Above Perm. Datum
Drilling Measured From KELLY BUSHING

K.B. 2085
D.F.
G.L. 2078

Date

5/8/2015

Run Number

TWO

Depth Driller

3639

Depth Logger

3636

Bottom Logged Interval

3635

Top Log Interval

2900

Casing Driller

8.625 @ 1353

Casing Logger

1350

Bit Size

7.875

Type Fluid in Hole

CHEMICAL

Salinity, ppm CL

9800

Density / Viscosity

9.3 60

pH / Fluid Loss

10.5 6.8

Source of Sample

Flowline

Rm @ Meas. Temp

0.43 @ 72

Rmf @ Meas. Temp

0.32 @ 72

Rmc @ Meas. Temp

0.58 @ 72

Source of Rmf / Rmc

Charts

Rm @ BHT

0.28 @ 112

Operating Rig Time

5 HOURS

Max Rec. Temp. F

112

Equipment Number

15

Location

HAYS

Recorded By

D.KERR

Witnessed By

BRAD RINE

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Pioneer Energy Services
785.625.3858


PLAINVILLE KS SOUTH TO CC RD,1 EAST TO 19 RD,
1 1/2 SOUTH TO GATE, EAST AND SOUTH INTO


Database File venture_hahn_6hd.db
Dataset Pathname DIL/venstk
Presentation Format micro
Dataset Creation Sat May 09 01:25:35 2015
Charted by Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0






3100


3150

3200

3250

3300







3350

3400

3450

3500






0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP (mV)	0

3550

3600



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD

-31

-28