



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

SONIC LOG

Company	SHELBY RESOURCES, LLC.		
Well	McCURRY #1-24		
Field			
County	BARTON	State	KANSAS
Location:	AP1 # : 15-009-26114-0000		Other Services CDL/CNL DIL/MEL
SEC 24 TWP 18S RGE 14W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	1897
Log Measured From	KELLY BUSHING 11' A.G.L.	K.B. 1908 D.F. 1906 G.L. 1897	
Drilling Measured From	KELLY BUSHING		
Date	8/3/15		
Run Number	TWO		
Depth Driller	3500		
Depth Logger	3502		
Bottom Logged Interval	3492		
Top Log Interval	00		
Casing Driller	8 5/8" @ 846		
Casing Logger	848		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4800 PPM	
Density / Viscosity	9.2/48		
pH / Fluid Loss	11.5/9.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.75 @ 95F		
Rmt @ Meas. Temp	.56 @ 95F		
Rmc @ Meas. Temp	.90 @ 95F		
Source of Rmt / Rmc	MEASUREMENT		
Rm @ BHT	.84 @ 112F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	112F		
Equipment Number	4010		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	JEREMY SCHWARTZ		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING NABORS, HAYS, KS. (785) 628-6395
DIRECTIONS:
HWY 4 & 281 SOUTH TO CURVE EAST - BACK TO SOUTH CURVE - 1 SOUTH TO 70 RD
3/4 EAST - NORTH INTO

Database File:

30513ddn.db

Dataset Pathname:

pass7.2

Presentation Format:

_slt


Dataset Creation:


Mon Aug 03 22:12:07 2015 by Calc Open-Cased 090629

Charted by:

Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			







200

250

300

350






400


450

500

550

600








650


700

750

800









1100

1150

1200

1250








1300


1350

1400

1450










1750



1800



1850



1900

















2850


2900


2950

3000









REPEAT SECTION

Database File: 30513ddn.db
 Dataset Pathname: pass6.1
 Presentation Format: _slt
 Dataset Creation: Mon Aug 03 21:13:57 2015 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

