



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company		FOURWINDS OIL CORPORATION	
Well	SCOTT #1		
Field	WILDCAT		
County	NORTON		
State	KANSAS		
Location:		API # : 15-137-20734-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		540' FSL & 940' FWL	
Drilling Measured From		NW - SE - SW - SW	
SEC 21 TWP 4S RGE 22W		Elevation	
		K.B. 2301	
		D.F. 2299	
		G.L. 2296	
Date	6/23/15		
Run Number	TWO		
Depth Driller	3775		
Depth Logger	3774		
Bottom Logged Interval	3772		
Top Log Interval	3100		
Casing Driller	8 5/8"@216'		
Casing Logger	220		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 750 PPM	
Density / Viscosity	9.3/65		
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.955@90F		
Rmf @ Meas. Temp	.716@90F		
Rmc @ Meas. Temp	1.15@90F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.754@114F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	1:00 A.M.		
Maximum Recorded Temperature	114F		
Equipment Number	4854		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JEFF LAWLER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS

HILL CITY, KS., N. TO HWY 9, GO 4 MORE NORTH TO "RD. W", 2E. TO CURVE, N. INTO THEN BACK E.



NABORS

**COMPLETION
& PRODUCTION**

MAIN SECTION

Database File:

26523ddn.db

Dataset Pathname:

pass6.6

Presentation Format:

micro


Dataset Creation:


Tue Jun 23 03:32:52 2015 by Calc SOC 120430

Charted by:

Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








3300


3350

3400

3450









NABORS
COMPLETION
& PRODUCTION
SERVICES CO.

REPEAT SECTION

Database File: 26523ddn.db
Dataset Pathname: pass5.3
Presentation Format: micro
Dataset Creation: Tue Jun 23 03:34:20 2015 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 26523ddn.db
Dataset Pathname: pass6.6
Dataset Creation: Tue Jun 23 03:32:52 2015 by Calc SOC 120430

MICRO Calibration Report

Serial Number:	070910	
Tool Model:	ProbeN	
Performed:	Fri Jan 16 21:26:07 2015	
Caliper Calibration:	Gain=4.400	Offset=1.019
References	Low Cal	High Cal
Readings	7.500	15.000
	1.473	3.178
1.5" Calibration:	Gain=32.000	Offset=-1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.000	1.216
2" Calibration:	Gain=34.000	Offset=-0.800
References	Low Cal	High Cal
Readings	0.000	20.000
	0.002	1.053
Gamma Ray Calibration Report		
Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Wed Feb 11 20:05:19 2015	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2000	GAPI/cps