



SEGMENTED CEMENT BOND LOG

Company	TYLUKA OPERATING, LLC.	Country	USA
Well	AXMAN FARMS #1-18		
Field			
County	BARTON		
State	KANSAS		
Company	TYLUKA OPERATING, LLC.	Country	USA
Well	AXMAN FARMS #1-18		
Field			
County	BARTON		
State	KANSAS		
Location:	API # : 15-009-26132-0000	Other Services	
	1953' FSL & 921' FWL		
Permanent Datum	GROUND LEVEL	Elevation	1884
Log Measured From	KELLY BUSHING 8' A.G.L.	K.B.	1892
Drilling Measured From	KELLY BUSHING	D.F.	1890
		G.L.	1884

Date	8-11-15
Run Number	ONE
Depth Driller	3500
Depth Logger	3461
Bottom Logged Interval	3458
Top Log Interval	2100
Open Hole Size	7 7/8
Type Fluid	WATER
Density / Viscosity	
Max. Recorded Temp.	
Estimated Cement Top	2202
Time Well Ready	
Time Logger on Bottom	
Equipment Number	3362
Location	HAYS, KS
Recorded By	JEREMY SEIB
Witnessed By	CHRIS GOTTSCHALK

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To
ONE	12 1/4	0	897				
TWO	7 7/8	897	3500				

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8 5/8		0	897
Prot. String				
Production String	5 1/2		0	
Liner				


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING NABORS COMPLETION & PRODUCTION SERVICES, HAYS, KS (785) 628-6395
DIRECTIONS: JCT. OF HWY 281 & HWY 4 - 3 MILES NORTH TO RD.150TH - 4 MILES WEST TO 80TH RD.
- 1/2 MILE SOUTH & EAST & SOUTH INTO

Charted by: Depth in Feet scaled 1:210											
0	GR (GAPI)	150	9	CCL	-1	200	WVF5FT	1000	1	Sector Map	8
200	TT3FT (usec)	1000	0	AMPS1	100						
0	AMP3FT (mV)	100	0	AMPS2	100						
			0	AMPS3	100						
			0	AMPS4	100						
			0	AMPS5	100						
			0	AMPS6	100						
			0	AMPS7	100						
			0	AMPS8	100						









2750

2800

2850

2900

