



**Casedhole
Solutions**

**SONIC
LOG**

Company	SHELBY RESOURCES, LLC.		
Well	L-S UNIT #1-15		
Field			
County	BARTON	State	KANSAS
Company	SHELBY RESOURCES, LLC.	Well	L-S UNIT #1-15
Field		County	BARTON
County	BARTON	State	KANSAS
Location:	AP1 # : 15-009-26134-0000 1740' FNL & 2600' FEL		Other Services CDL/CNL DIL/MEL
Permanent Datum	GROUND LEVEL	Elevation	1923
Log Measured From	KELLY BUSHING 11' A.G.L.	Elevation	K.B. 1934 D.F. 1932 G.L. 1923
Drilling Measured From	KELLY BUSHING		
SEC 15	TWP 18S	RGE 14W	
Date	12/6/15		
Run Number	TWO		
Depth Driller	3560		
Depth Logger	3559		
Bottom Logged Interval	3544		
Top Log Interval	00		
Casing Driller	8 5/8" @ 896'		
Casing Logger	894'		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 6500 PPM	
Density / Viscosity	9.0/72		
pH / Fluid Loss	9.5/10.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.75 @ 50F		
Rmt @ Meas. Temp	.56 @ 50F		
Rmc @ Meas. Temp	.90 @ 50F		
Source of Rmt / Rmc	MEASUREMENT		
Rm @ BHT	.30 @ 112F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	112F		
Equipment Number	4010		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	JEREMY SCHWARTZ		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING CASEDHOLE SOLUTIONS, HAYS, KS. (785) 628-6395
DIRECTIONS:
AT INTERSECTION OF HWY 4 & HWY 281 - 3 SOUTH TO 90 RD. - 1/2 WEST
SOUTH INTO





**Casedhole
Solutions**

MAIN SECTION

Database File: 30886ddn.db
Dataset Pathname: pass6.2
Presentation Format: _slt
Dataset Creation: Sun Dec 06 17:18:58 2015 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
-----			-----					
0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				








200


250

300

350










650


700

750

800









1100

1150

1200

1250








1300


1350

1400

1450









1750

1800

1850

1900






1950


2000

2050

2100

2150







2200

2250

2300

2350








2400


2450

2500

2550









2850

2900

2950

3000






3050


3100

3150

3200

3250







3300

3350

3400

3450








**Casedhole
Solutions**

REPEAT SECTION

Database File: 30886ddn.db
 Dataset Pathname: pass5.1
 Presentation Format: _slt
 Dataset Creation: Sun Dec 06 16:34:11 2015 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240





3250

3300

3350

3400

