



<<< Fold Here >>>


Comments







Main Pass

Database File cmxbushton1-30cbl.db
Dataset Pathname pass2
Presentation Format cblsec
Dataset Creation Mon Jan 11 14:38:57 2016
Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	16	CCL	-2	200	VDL	1200
150	GR (GAPI)	300	0	AMP3 (mV)	100			
450	TT3 (usec)	250						










2300

2350

2400

2450







2500


2550

2600

2650

2700








2750

2800

2850

2900








2950

3000



3050

3100





3150



0	GR (GAPI)	150
150	GR (GAPI)	300
450	TT3 (usec)	250

18	CCL	-2	200
0	AMP3 (mV)	100	

200	VDL	1200
-----	-----	------




Repeat Section

Database File cmxbushton1-30cbl.db
 Dataset Pathname pass1
 Presentation Format cblsec
 Dataset Creation Mon Jan 11 14:30:45 2016
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150
150	GR (GAPI)	300
450	TT3 (usec)	250



18	CCL	-2	200
0	AMP3 (mV)	100	


200	VDL	1200
-----	-----	------



3000

3050





Calibration Report

Database File cmxbushton1-30cbl.db
 Dataset Pathname pass2
 Dataset Creation Mon Jan 11 14:38:57 2016

Gamma Ray Calibration Report

Serial Number: 080616
 Tool Model: 275D_INC
 Performed: (Not Performed)

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 1.0000 GAPI/cps

Inclinometer Calibration Report

Performed: (Not Performed)

	Low Read.	High Read.	Low Ref.	High Ref.	
X Accelerometer	0.00	1.00	0.00	1.00	gee
Y Accelerometer					

Y Accelerometer	0.00	1.00	0.00	1.00	gee
Z Accelerometer	0.00	1.00	0.00	1.00	gee

Segmented Cement Bond Log Calibration Report

Serial Number: 080321
 Tool Model: Probe
 Calibration Casing Diameter: 5.500 in
 Calibration Depth: 1987.379 ft

Master Calibration, performed Mon Jan 11 14:23:03 2016:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	0.926	1.000	71.921	76.603	1.000
CAL	0.007	1.315				
5'	0.007	0.872	1.000	71.921	82.054	0.406
SUM						
S1	0.007	1.001	0.000	72.000	72.421	-0.508
S2	0.007	0.993	0.000	72.000	73.066	-0.532
S3	0.007	0.961	0.000	72.000	75.452	-0.546
S4	0.007	0.914	0.000	72.000	79.377	-0.571
S5	0.007	0.881	0.000	72.000	82.420	-0.585
S6	0.007	0.881	0.000	72.000	82.379	-0.595
S7	0.007	0.903	0.000	72.000	80.352	-0.576
S8	0.007	0.933	0.000	72.000	77.744	-0.547


Internal Reference Calibration, performed Thu Dec 04 16:30:55 2008:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.007	1.315	1.000	0.000

Air Zero Calibration, performed Mon Jan 11 14:07:53 2016:

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000		0.000	
5'	0.000		0.000		0.000	
SUM						
S1	0.000		0.000		0.000	
S2	0.000		0.000		0.000	
S3	0.000		0.000		0.000	
S4	0.000		0.000		0.000	
S5	0.000		0.000		0.000	
S6	0.000		0.000		0.000	
S7	0.000		0.000		0.000	
S8	0.000		0.000		0.000	

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CENT-275 2 3/4" Centralizer	2.94	2.75	10.00

WVFS8	11.63		RBT-Probe (080321) Prototype Probe Radii Bond Tool with Digital Telemetry	8.33	2.75	90.00
WVFS7	11.63					
WVFS6	11.63					
WVFS5	11.63					
WVFS4	11.63					
WVFS3	11.63					
WVFS2	11.63					
WVFS1	11.63					
WVFCAL	11.63					
WVF3FT	11.63					
WVF5FT	10.63		CENT-275 2 3/4" Centralizer	2.94	2.75	10.00
CCL	3.50					
ACCZ	1.83					
ACCY	1.83					
ACCX	1.83		GR-275D_INC (080616) 2-3/4" GR-CCL with Inclination	4.50	2.75	
GR	0.83					
Dataset: cmxbushton1-30cbl.db: field/well/run1/pass2 Total length: 18.71 ft Total weight: 110.00 lb O.D.: 2.75 in						

