

DUAL INDUCTION LOG

Company	SIROKY OIL MANAGEMENT		
Well	ONSTOTT #1		
Field	WILDCAT		
County	PRATT	State	KANSAS
Location:	API #: 15-151-22468-0000		Other Services CDL/CNL/ML
1673' FNL & 2281' FWL			
SEC 12 TWP 27S RGE 12W			
Permanent Datum	GROUND LEVEL	Elevation	1844
Log Measured From	KELLY BUSHING 12 A.G.L	D.F.	1854
Drilling Measured From	KELLY BUSHING	G.L.	1844
Date	3/9/18		
Run Number	ONE		
Depth Driller	4580		
Depth Logger	4582		
Bottom Logged Interval	4580		
Top Log Interval	50		
Casing Driller	10 3/4" @ 309		
Casing Logger	309		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8000 PPM	
Density / Viscosity	9.4/65		
pH / Fluid Loss	12.0/9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.51 @ 86F		
Rmf @ Meas. Temp	.38 @ 86F		
Rmc @ Meas. Temp	.61 @ 86F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.36 @ 121F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	121F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	PAT DEENIHAN		

>>> Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
PRATT EAST TO CAIRO, NORTH 4 MILES TO 40 RD.,
WEST 1 MILE, NORTH 1 MILE, WEST INTO.







MAIN PASS


Database File	2370ddn.db
Dataset Pathname	pass3MAIN
Presentation Format	_dil2
Dataset Creation	Fri Mar 09 12:02:30 2018
Charted by	Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150	1000	CILD (mmho/m)	0
-100	SP (mV)	100	0	RLL3 (Ohm-m)	50
			0	Deep Induction (Ohm-m)	50
			50	RILD X10 (Ohm-m)	500
			50	RLL3 X10 (Ohm-m)	500









1550

1600

1650

1700

1750

1800


1850



1900



1950



2000


2050











3750

3800

3850

3900

3950

4000



4050



4100

4150

4200

4250






MAIN PASS

Database File 2370ddn.db
Dataset Pathname pass3MAIN
Presentation Format _dil
Dataset Creation Fri Mar 09 12:02:30 2018
Charted by Depth in Feet scaled 1:240




-250	Rxo/Rt	50
-100	SP (mV)	100




0	GAMMA RAY (GAPI)	150
-250	Rxo/Rt	50
-100	SP (mV)	100

0.2	MEDIUM INDUCTION (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000




0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000






MAIN PASS

Database File 2370ddn.db
 Dataset Pathname pass3MAIN
 Presentation Format _dil
 Dataset Creation Fri Mar 09 12:02:30 2018
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	0.2	SHALLOW GUARD (Ohm-m)	2000
-250	Rxo/Rt	50	0.2	MEDIUM INDUCTION (Ohm-m)	2000
-100	SP (mV)	100	0.2	DEEP INDUCTION (Ohm-m)	2000









3050

3100

3150

3200






3250


3300

3350

3400

3450







3500

3550

3600

3650







3700

3750

3800

3850






3900


3950

4000

4050

4100







4150

4200

4250

4300






4350


4400

4450

4500

4550






Rxo/Rt
LTD 4582

MEDIUM INDUCTION
DEEP INDUCTION

SHALLOW
GUARD

0	GAMMA RAY (GAPI)	150
-250	Rxo/Rt	50
-100	SP (mV)	100

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000




REPEAT SECTION

Database File 2370ddn.db
Dataset Pathname pass2.1
Presentation Format _dil
Dataset Creation Fri Mar 09 09:43:55 2018
Charted by Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150
-250	Rxo/Rt	50
-100	SP (mV)	100


0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000



4400

4450






4500

4550

0	GAMMA RAY (GAPI)	150
-250	Rxo/Rt	50
-100	SP (mV)	100



0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000