

SONIC LOG

Company SIROKY OIL MANAGEMENT
Well ONSTOTT #1
Field WILDCAT
County PRATT State KANSAS

Location: API #: 15-151-22468-0000
1673' FNL & 2281' FWL
SEC 12 TWP 27S RGE 12W
Permanent Datum GROUND LEVEL Elevation 1844
Log Measured From KELLY BUSHING 12 A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL
DIL
SONIC
Elevation
K.B. 1856
D.F. 1854
G.L. 1844


Date	3/9/18		
Run Number	TWO		
Depth Driller	4580		
Depth Logger	4582		
Bottom Logged Interval	4580		
Top Log Interval	50		
Casing Driller	10 3/4" @ 309		
Casing Logger	309		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8000 PPM	
Density / Viscosity	9.4/65		
pH / Fluid Loss	12.0/9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.51 @ 86F		
Rmf @ Meas. Temp	.38 @ 86F		
Rmc @ Meas. Temp	.61 @ 86F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.36 @ 121F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	121F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	PAT DEENIHAN		

>>> Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
PRATT EAST TO CAIRO, NORTH 4 MILES TO 40 RD.,
WEST 1 MILE, NORTH 1 MILE, WEST INTO.






MAIN PASS


Database File	2370ddn.db
Dataset Pathname	pass6M
Presentation Format	_slt
Dataset Creation	Fri Mar 09 12:56:12 2018
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	(ft3)	30	SONIC POROSITY (pu)	-10
			10	0	ITT (msec)	20
			TBHV			
			(ft3)			
			0	10		



















1350


1400


1450


1500










































0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	(ft3)	30	SONIC POROSITY (pu)	-10
10		0	ITT (msec)	20		

TBHV (ft3)	
0	10



REPEAT SECTION

Database File	2370ddn.db
Dataset Pathname	pass5RP
Presentation Format	_slt
Dataset Creation	Fri Mar 09 12:38:06 2018
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	(ft3)	30	SONIC POROSITY (pu)	-10
			10	0	ITT (msec)	20
			TBHV			
			(ft3)			
			0	10		

