

SONIC LOG

Company	CMX, INC.	Company	CMX, INC.
Well	BEACON HILL #1-20	Well	BEACON HILL #1-20
Field	WILDCAT	Field	WILDCAT
County	PRATT	County	PRATT
State	KANSAS	State	KANSAS
Location:		API #: 15-151-22467-0000	
Permanent Datum		GROUND LEVEL Elevation 1990	
Log Measured From		KELLY BUSHING 13 A.G.L	
Drilling Measured From		KELLY BUSHING	
SEC 20 TWP 27S RGE 14W		Elevation	
780' FSL & 330' FEL		DIL/CDL/CNL	
		MEL	
Date		3/9/18	
Run Number	TWO		
Depth Driller	4620		
Depth Logger	4618		
Bottom Logged Interval	4616		
Top Log Interval	50		
Casing Driller	8 5/8" @ 436		
Casing Logger	436		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4000 PPM	
Density / Viscosity	9.2/80		
pH / Fluid Loss	9.5/6.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.36 @ 86F		
Rmf @ Meas. Temp	.27 @ 86F		
Rmc @ Meas. Temp	.43 @ 86F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.25 @ 121F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	121F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	Ken LeBlanc		

>>> Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
PRATT WEST TO BYERS BLACK TOP,
3.5 NORTH, WEST INTO.






MAIN PASS


Database File	2371pe.db
Dataset Pathname	pass5.1
Presentation Format	_slt
Dataset Creation	Fri Mar 09 20:36:14 2018
Charted by	Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	(ft3)	30	SONIC POROSITY (pu)	-10
			10	0	ITT (msec)	20
			TBHV			
			(ft3)			
			0	10		




















































3750


3800


3850



3900











REPEAT SECTION

Database File 2371pe.db
 Dataset Pathname pass4.1
 Presentation Format _slt
 Dataset Creation Fri Mar 09 19:48:15 2018
 Charted by Depth in Feet scaled 1:240

