



Green Country Wireline

GAMMA RAY
CEMENT BOND LOG
CCL/VDL

Well	WEMMER # 111			Country	USA
Field	PERU-SEDAN				
County	CHAUTAUQUA				
State	KANSAS				
Company	SPEEDY WELL SERVICE				
Well	WEMMER # 111				
Field	PERU-SEDAN				
County	CHAUTAUQUA				
State	KANSAS				
Country	USA				
Location:	3149' FSL & 2778' FEL			API #:	
Permanent Datum	SEC 35 TWP 34S RGE 11E			Elevation	
Log Measured From				K.B.	
Drilling Measured From				D.F.	
				G.L.	
Number	1				
th Driller	N/A				
th Logger	1185'				
om Logged Interval	1184'				
Log Interval	SURFACE				
in Hole Size	WATER				
e Fluid	---				
ity / Viscosity	---				
Recorded Temp.	SURFACE				
mated Cement Top	---				
e Well Ready	---				
e Logger on Bottom	---				
ipment Number	3				
ation	DEWEY				
ored By	HEHREN				
essed By	MR MILLER				
Borehole Record	Bit	From	To	Size	Weight
					From
					To
ing Record	Size	Wgt/Ft	Top	Bottom	
face String					
t. String					
duction String	2 7/8"		SURFACE	TD	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, employees, or agents. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments





Green Country Wireline


GR CBL CCL VDL

Database File: wemmer111.db
Dataset Pathname: wemmer111/run1/pass1
Presentation Format: standard
Dataset Creation: Mon May 23 11:03:48 2016 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240


9	Collar Locator	-1	800	TT3FT (uSec)	200	200	WVF3FT	12'
0	Gamma Ray (GAPI)	75	-3	AMP3FT (mV)	300			




Fluid Level




50
100
150
200
250



Fluid Level






500


450

400

350

300







550



600


650

700

750







1050

1100


5-23-16
1145'-1149'
12 SHOTS

1150


Gamma Ray RD 1184'

WEMMER # 111

1200



TD 1185'



CBL RD 1173'

9	Collar Locator	-1
0	Gamma Ray (GAPI)	75

800	TT3FT (usec)	200
-3	AMP3FT (mV)	300

200	WVF3FT	1200
-----	--------	------