



COMPENSATED DENSITY SIDEWALL NEUTRON LOG

Company	WILSON COUNTY HOLDINGS, LLC.	Company	WILSON COUNTY HOLDINGS, LLC.
Well	DOCIA BATES # 4 F	Well	DOCIA BATES # 4 F
Field	FREDONIA	Field	FREDONIA
County	WILSON	County	WILSON
State	KANSAS	State	KANSAS
Location:	API # : 15-205-28382-0000 NW SE SW NE 3208' FSL & 1739' FEL	Other Services	DIL
Permanent Datum	GL	Elevation	876' est
Log Measured From	GL	K.B. ---	
Drilling Measured From	GL	D.F. ---	
		G.L. 876' est	
SEC 1	TWP 29S	RGE 14E	
Date	7-05-2016		
Run Number	ONE		
Depth Driller	1200'		
Depth Logger	1197'		
Bottom Logged Interval	1195'		
Top Log Interval	SURFACE		
Casing Driller	8.625" @ 40'		
Casing Logger	8.625" @ 40'		
Bit Size	6.75"		
Type Fluid in Hole	WATER		
Density / Viscosity			
pH / Fluid Loss			
Source of Sample			
Rm @ Meas. Temp			
Rmf @ Meas. Temp			
Rmc @ Meas. Temp			
Source of Rmf / Rmc			
Rm @ BHT			
Time Circulation Stopped			
Time Logger on Bottom			
Maximum Recorded Temperature			
Equipment Number	OW2		
Location	HOMINY, OK		
Recorded By	LOWERY		
Witnessed By	MR. JOHN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

OW2-8938
MATRIX LIMESTON 2.71 G/CC
ABHV COMPUTED WITH 4 1/2 CASING


CREW : M. KIDD





5" CDL/SWN SECTION


Database File	ow2-8938 wilson county holdings.db				
Dataset Pathname	CDLN/pass1.4				
Presentation Format	_neu4				
Dataset Creation	Tue Jul 05 14:24:30 2016				
Charted by	Depth in Feet scaled 1:240				


0	Gamma Ray (GAPI)	150	TBHV	30	Density Porosity (pu)	-10
4	Bit size (in)	14	ABHV	30	Neutron Porosity (pu)	-10
4	Neutron Caliper (in)	14				-0.5 Correction (g/cc) 0.5
4	Density Caliper (in)	14				5000 Line Tension (lb) 0

















5" CDL SECTION


Database File ow2-8938 wilson county holdings.db
 Dataset Pathname CDLN/pass1.3
 Presentation Format bulk4
 Dataset Creation Tue Jul 05 14:24:15 2016
 Charted by Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150	TBHV	2	Bulk Density (g/cc)	3
4	Bit size (in)	14	ABHV	30	Density porosity (pu)	-10
4	Neutron Caliper (in)	14			-0.5	Correction (g/cc) 0.5
4	Density Caliper (in)	14			5000	Line Tension (lb) 0
























850

900


950

1000





0	Gamma Ray (GAPI)	150
3.8	Neutron Caliper (in)	13.8
4	Density Caliper (in)	14
4	Bit Size (in)	14
5000	Line Tension (lb)	0



2	Bulk Density (g/cc)	3
30	Density Porosity (pu)	-10
30	Neutron Porosity (pu)	-10
-0.5	Correction (g/cc)	0.5