



MICRO LOG

Company	TRANS - PACIFIC OIL CORP.		
Well	J. WILLIAM #2-29		
Field	CORRINE		
County	LOGAN	State	KANSAS
Company	TRANS - PACIFIC OIL CORPORATION		
Well	J. WILLIAM #2-29		
Field	CORRINE		
County	LOGAN	State	KANSAS
Location:	APL # : 15-109-21468-0000		Other Services CDL/CNL/PE DIL
Permanent Datum	GROUND LEVEL		Elevation
Log Measured From	971' FSL & 3208' FEL SW - NE - SE - SW		2728
Drilling Measured From	SEC 29 TWP 14S RGE 32W KELLY BUSHING		K.B. 2735 D.F. 2733 G.L. 2728
Date	8/5/16		
Run Number	TWO		
Depth Driller	4460		
Depth Logger	4462		
Bottom Logged Interval	4460		
Top Log Interval	3100		
Casing Driller	8 5/8"@223'		
Casing Logger	223		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4,500 PPM	
Density / Viscosity	9.5/52		
pH / Fluid Loss	9.0/10.4		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.650@80F		
Rmf @ Meas. Temp	.488@80F		
Rmc @ Meas. Temp	.780@80F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.433@120F		
Time Circulation Stopped	4.5 HOURS		
Time Logger on Bottom	9:45 A.M.		
Maximum Recorded Temperature	120F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	W. BRYCE BIDLEMAN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
OAKLEY, KS., 23S. ON HWY 83 TO "GOLD RD.", 2W. TO TANK BATTERY 1 1/2 N. INTO




MAIN SECTION

Database File: 30756pe.db
 Dataset Pathname: pass7.2
 Presentation Format: micro
 Dataset Creation: Fri Aug 05 13:05:03 2016 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








3300



3350


3400

3450










3950


4000

4050

4100

4150








4200

4250

4300

4350







REPEAT SECTION

Database File: 30756pe.db
 Dataset Pathname: pass6.1
 Presentation Format: micro
 Dataset Creation: Fri Aug 05 12:16:10 2016 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			





Calibration Report

Database File: 30756pe.db
 Dataset Pathname: pass7.2
 Dataset Creation: Fri Aug 05 13:05:03 2016 by Calc SOC 120430

MICRO Calibration Report		
Serial Number:	070910	
Tool Model:	ProbeN	
Performed:	Tue Mar 01 08:02:30 2016	
Caliper Calibration:	Gain=5.104	Offset=-0.218
References	Low Cal	High Cal
Readings	7.300	16.000
	1.473	3.178
1.5" Calibration:	Gain=34.000	Offset=0.300
References	Low Cal	High Cal
Readings	0.000	20.000
	0.000	1.216
2" Calibration:	Gain=45.000	Offset=-0.700
References	Low Cal	High Cal
Readings	0.000	20.000
	0.002	1.053
Gamma Ray Calibration Report		
Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Mon Jul 04 00:08:32 2016	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2100	GAPI/cps