



MICRO LOG

Company	LYNN PACKARD		
Well	PACKARD #1-15		
Field	MINGONA		
County	BARBER		
State	KANSAS		
Location:	API # : 15-007-24331-00-00		
Permanent Datum	800' FSL & 1650' FWL		
Log Measured From	GROUND LEVEL Elevation 1661'		
Drilling Measured From	KELLY BUSHING 12' A.G.L. KELLY BUSHING		
SEC 15	TWP 31S	RGE 13W	Other Services CDL/CNL/DIL SONIC
Date	07/02/18		Elevation K.B. 1673 D.F. 1671 G.L. 1661
Run Number	TWO		
Depth Driller	4716		
Depth Logger	4717		
Bottom Logged Interval	4697		
Top Log Interval	2500		
Casing Driller	8 5/8" @ 224		
Casing Logger	224		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3000 PPM	
Density / Viscosity	9.5/60		
pH / Fluid Loss	11.5/9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.70@88		
Rmt @ Meas. Temp	.53@88		
Rmc @ Meas. Temp	1.20@88		
Source of Rmt / Rmc	MEASURED		
Rm @ BHT	.50@122		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	122F		
Equipment Number	4010		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	ROGER MARTIN	LYNN PACKARD	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS
MEDICINE LODGE WEST ON SUN CITY RD. 9 MILES
NORTH INTO.







MAIN PASS



Database File: 2688ddn.db
Dataset Pathname: pass8
Presentation Format: _micro
Dataset Creation: Mon Jul 02 21:09:57 2018 by Log Open-Cased 090629
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3) 10			












3350


3400

3450

3500

3550







3600


3650

3700

3750








4000


4050

4100

4150

4200







4250

4300

4350

4400






4450



4500

4550

4600



4650








REPEAT SECTION

Database File: 2688ddn.db
 Dataset Pathname: pass7.1
 Presentation Format: _micro
 Dataset Creation: Mon Jul 02 21:05:05 2018 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240







Calibration Report

Database File: 2688ddn.db
Dataset Pathname: pass7.1
Dataset Creation: Mon Jul 02 21:05:05 2018 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number: MICRO3
Tool Model: PROBE
Performed: Tue Jun 26 15:33:27 2018

Caliper Calibration: Gain=3.899 Offset=-9.997

References	Low Cal 7.000	High Cal 14.000
Readings	3.980	5.776
1.5" Calibration:	Gain=110.000	Offset=-0.400
References	Low Cal 0.000	High Cal 20.000
Readings	0.004	0.228
2" Calibration:	Gain=110.553	Offset=-1.220
References	Low Cal 0.000	High Cal 20.000
Readings	0.005	0.175
Gamma Ray Calibration Report		
Serial Number:	GR5	
Tool Model:	OPEN	
Performed:	Mon Jul 02 20:05:37 2018	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.8000	GAPI/cps