



DUAL INDUCTION LOG

Company	PHILLIPS EXPLORATION, CO. L.C.		
Well	STEINLE NO.1		
Field	GORHAM		
County	RUSSELL		
State	KANSAS		
Company	MAI OIL OPERATIONS, INC.		
Well	STEINLE NO.1		
Field	GORHAM		
County	RUSSELL		
State	KANSAS		
Location:	API # : 15-167-24048-00-00		
	510' FNL & 690' FWL SW-NE-NW-NW		
Permanent Datum	GROUND LEVEL	Elevation	1888
Log Measured From	KELLY BUSHING	8' A.G.L.	
Drilling Measured From	KELLY BUSHING		
SEC 2	TWP 14S	RGE 15W	
Other Services	CNL/CDL	MEL/SONIC	
Elevation	K.B. 1896	D.F. 1894	G.L. 1888
Date	11/5/16		
Run Number	ONE		
Depth Driller	3390		
Depth Logger	3391		
Bottom Logged Interval	3389		
Top Log Interval	0		
Casing Driller	8 5/8"@933'		
Casing Logger	930'		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5,000PPM	
Density / Viscosity	9.4/50		
pH / Fluid Loss	9.5/8.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.95@80		
Rmf @ Meas. Temp	.71@80		
Rmc @ Meas. Temp	1.14@80		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.69@110		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	110F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JUSTIN HENRICKSON		
Witnessed By	JIM MUSGROVE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
BALTA ROAD EXIT ON I70
1/2 NORTH, 1 1/2 WEST, SOUTH INTO




MAIN PASS

Database File: 31340ddn.db
 Dataset Pathname: pass3.3
 Presentation Format: _dil2
 Dataset Creation: Sat Nov 05 16:11:21 2016 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150	0	RLL3 (Ohm-m)	50
-100	SP (mV)	100	0	RILD (Ohm-m)	50
0	RWA (Ohm-m)	1	1000	CILD (mmho/m)	0
			50	RILD X10 (Ohm-m)	500
			50	RLL3 X10 (Ohm-m)	500





450

500

550

600

650

700


750



800


850

900

950







1550

1600

1650

1700

1750

1800


1850


1900

1950

2000

2050





2100

2150

2200

2250

2300

2350


2400


2450

2500

2550

2600





2650

2700

2750

2800

2850

2900



2950



3000

3050

3100

3150







ANHYDRITE


Database File: 31340ddn.db
 Dataset Pathname: pass3.2
 Presentation Format: _dil
 Dataset Creation: Sat Nov 05 16:02:13 2016 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	0.2	SHALLOW GUARD (Ohm-m)	2000
-100	SP (mV)	100	0.2	DEEP INDUCTION (Ohm-m)	2000
-250	Rxo/Rt	50	0.2	MEDIUM INDUCTION (Ohm-m)	2000
0	MINMK	20			



900







950

1000

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20



0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000




MAIN PASS


Database File: 31340ddn.db
 Dataset Pathname: pass3.1
 Presentation Format: _dil
 Dataset Creation: Sat Nov 05 15:50:28 2016 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000



2300






2350


2400

2450

2500

2550







2600

2650

2700

2750






2800


2850

2900

2950

3000









3050

3100

3150

3200






REPEAT SECTION

Database File: 31340ddn.db
Dataset Pathname: pass2.1
Presentation Format: _dil
Dataset Creation: Sat Nov 05 15:34:06 2016 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000





3200

3250

3300

3350





Calibration Report

Database File: 31340ddn.db
 Dataset Pathname: pass2.1
 Dataset Creation: Sat Nov 05 15:34:06 2016 by Calc SOC 120430

Dual Induction Calibration Report

Serial-Model: PROBE7-DILG
 Surface Cal Performed: Thu Nov 03 11:12:55 2016
 Downhole Cal Performed: Mon Jul 28 12:02:56 2008
 After Survey Verification Performed: Mon Jul 28 12:02:56 2008

Surface Calibration								
Readings			References				Results	
Loop:	Air	Loop		Air	Loop		m	b
Deep	-0.014	0.629	V	0.000	400.000	mmho/m	625.000	0.000
Medium	0.039	0.728	V	0.000	464.000	mmho/m	675.000	-45.000
Internal:	Zero	Cal		Zero	Cal		m	b
Deep	0.011	0.610	V	0.000	400.000	mmho/m	667.135	-7.256
Medium	0.005	0.712	V	0.000	464.000	mmho/m	655.677	-3.102

Downhole Calibration								
Readings			References				Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	14.508	388.384	mmho/m	1.000	0.000
Medium	0.000	0.000	mmho/m	166.367	504.400	mmho/m	1.000	0.000
LL3		7.500	V		1400.000	Ohm-m		
		0.000	V		20.000	Ohm-m		
		-7.200	V		4000.000	mmho-m		

After Survey Verification								
Readings			Targets				Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
Medium	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
LL3		1.000	Ohm-m		1.000	Ohm-m		
		0.000	Ohm-m		0.000	Ohm-m		
		1.000	mmho-m		1.000	mmho-m		

Litho Density Calibration Report
 Serial: 003N Model: PRB

Master Calibration Performed Mon Mar 14 08:48:13 2016

	Background	Magnesium	Aluminum	Sandstone	
Window 1	1751.3	11741.0	3857.3	12907.8	cps
Window 2	1589.4	9536.2	3267.6	10282.0	cps
Window 3	1413.4	6466.1	2463.2	6828.7	cps
Window 4	399.5	407.1	405.1	406.5	cps
Long Space	0.0	7946.7	1678.1	8692.6	cps
Short Space	2.2	3366.2	2134.1	3410.2	cps
Rho		1.7100	2.5900	1.3800	g/cc
Pe		0.0000	2.5700	1.5500	
Rib Angle	: 43.7	Rib Slope	: 0.954	Density/Spine Ratio	: 0.543
Spine Angle	: 73.7	Spine Slope	: 3.412	Spine Intercept	: -18.7
Before Survey Verification					
Performed Wed Dec 31 18:00:00 1969					
Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	
After Survey Verification					
Performed Wed Dec 31 18:00:00 1969					
Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	
Compensated Neutron Calibration Report					
		Serial Number:	070808		
		Tool Model:	Probe		
PRE-SURVEY VERIFICATION					
Detector	Readings	Measured	Target		
Short Space	cps				
Long Space	cps	pu	pu		
POST-SURVEY VERIFICATION					
Detector	Readings	Measured	Target		
Short Space	cps				
Long Space	cps	pu	pu		
Gamma Ray Calibration Report					
Serial Number:		070558			
Tool Model:		OPEN_GR			

Performed: Mon Aug 22 01:00:15 2016

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps

Calibrator Reading: 1.0 cps

Sensitivity: 0.2800 GAPI/cps