



DUAL RECEIVER CEMENT BOND LOG

Company	DIXON OPERATING COMPANY, LLC.		
Well	ALPERS #1-4		
Field	HUDSON SOUTH		
County	STAFFORD		
State	KANSAS	Country	USA
Company	DIXON OPERATING COMPANY, LLC.		
Well	ALPERS #1-4		
Field	HUDSON SOUTH		
County	STAFFORD		
State	KANSAS	Country	USA
Location:	API # : 15-185-23970-0000		Other Services
1865' FNL & 840' FWL			
SEC 4 TWP 23S RGE 12W			
Permanent Datum	GROUND LEVEL		Elevation 1841
Log Measured From	KELLING BUSHING 11' A.G.L.		K.B. 1852
Drilling Measured From	KELLY BUSHING		D.F. 1850
			G.L. 1841
Date	11-14-16		
Run Number	ONE		
Depth Driller	3820		
Depth Logger	3661		
Bottom Logged Interval	3659		
Top Log Interval	2300		
Open Hole Size	7 7/8		
Type Fluid	WATER		
Density / Viscosity			
Max. Recorded Temp.	2370		
Estimated Cement Top			
Time Well Ready			
Time Logger on Bottom			
Equipment Number	3362		
Location	HAYS, KS		
Recorded By	JEREMY SEIB		
Witnessed By	TJ DIXON		
Borehole Record			
Run Number	Bit	From	To
ONE	12 1/4	0	333
TWO	7 7/8	333	3820
Tubing Record			
Casing Record	Size	Wgt/Ft	Top
Surface String	8 5/8		0
Prot. String			
Production String	5 1/2		0
Liner			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments




THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS (785) 628-6395
DIRECTIONS: HUDSON, KANSAS - EAST EDGE OF TOWN - 1 1/2 MILES SOUTH ON RD. 50TH - EAST IN
AFTER BRIDGE


Database File: 1076.db
Dataset Pathname: pass2.4
Presentation Format: dcbl02
Dataset Creation: Mon Nov 14 15:45:14 2016
Charted by: Depth in Feet scaled 1:240

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray (GAPI)	150
200	5' Travel Time (usec)	1000

0	3' Amplitude (mV)	100
9	CCL	-1
0	Amplified Amplitude (mV)	20

200	5FT VDL	1000
-----	---------	------







2500


2550

2600

2650

2700








2750

2800

2850

2900







2950


3000

3050

3100

3150








3200

3250

3300

3350







3400


3450

3500


3550

3600






0	Gamma Ray (GAPI)	150
200	5' Travel Time (uSec)	1000



0	3' Amplitude (mV)	100
9	CCL	-1
0	Amplified Amplitude (mV)	20



200	5FT VDL	1000
-----	---------	------